CETIFICATION

SDG No: FA34301/FA34302 Laboratory: Accutest, Florida
Site: BMSMC – Building 5 Area Matrix: Soil/Groundwater
Humacao, PR

SUMMARY: Samples (Table 1) were collected on the BRSMC facility – Building 5 Area. The BMSMC facility is located in Humacao, PR. Samples were taken May 25, 2016 and were analyzed in Accutest, Florida that reported the data under SDG No.: FA34301 and FA34302. Results were validated using the latest validation guidelines (July, 2015) of the EPA Hazardous Waste Support Section. The analyses performed are shown in Table 1. Individual data review worksheets are enclosed for each target analyte group. The data sample organic data samples summary form shows for analytes results that were qualified.

In summary the results are valid and can be used for decision taking purposes.

Table 1. Samples analyzed and analysis performed

SAMPLE ID	SAMPLE DESCRIPTION	MATRIX	ANALYSIS PERFORMED
FA34301-1	RA7 (4-5)	Soil	VOA TCL List
FA34301-1D	RA7 (4-5) MSD	Soil	VOA TCL List
FA34301-1S	RA7 (4-5) MS	Soil	VOA TCL List
FA34301-2	MW-22 (2.7-3.7)	Soil	VOA TCL List
FA34301-3	RA7-GWD	Groundwater	VOA TCL List
FA34301-3D	RA7-GWD MSD	Groundwater	VOA TCL List
FA34301-3S	RA7-GWD MS	Groundwater	VOA TCL List
FA34301-4	TB052516	AQ – Trip Blank Water	VOA TCL List
FA34302-1	RA7-GWS	Groundwater	VOA TCL List
FA34302-2	EB05252016	AQ – Equipment Blank	VOA TCL List
FA34302-3	BPEB-28	AQ – Equipment Blank	VOA TCL List
FA34302-4	SB103 (2.5-3.5)	Soil	VOA TCL List
FA34302-5	SB103 (2.5-3.5)	Soil	VOA TCL List
FA34302-6	SB103 (6-7)	Soil	VOA TCL List
FA34302-7	MW-235 (5-6)	Soil	VOA TCL List
FA34302-8	BPEB-29	AQ – Equipment Blank	VOA TCL List

SAMPLE ID	SAMPLE DESCRIPTION	MATRIX	ANALYSIS PERFORMED
FA34302-9	SB103-GWD	Groundwater	VOA TCL List
FA34302-10	SB103-GWS	Groundwater	VOA TCL List
FA34302-11	TB052616	AQ – Trip Blank Water	VOA TCL List

Reviewer Name: Rafael Infante
Chemist License 1888

Signature:

Date: June 11, 2016

SGS Accutest

Report of Analysis

Client Sample ID:	RA7-GWS		
Lab Sample ID:	FA34302-1	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976893.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	0.35	2.0	0.23	ug/l	J
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	4.5	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RA7-GWS		
Lab Sample ID:	FA34302-1	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	24.8	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	324	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	2.5	5.0	1.4	ug/l	J
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		83-118%
17060-07-0	1,2-Dichloroethane-D4	101%		79-125%
2037-26-5	Toluene-D8	101%		85-112%
460-00-4	4-Bromofluorobenzene	105%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	EB05252016		
Lab Sample ID:	FA34302-2	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976894.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	16.7	25	10	ug/l	J
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	EB05252016		
Lab Sample ID:	FA34302-2	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	16.5	20	9.1	ug/l	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		83-118%
17060-07-0	1,2-Dichloroethane-D4	102%		79-125%
2037-26-5	Toluene-D8	103%		85-112%
460-00-4	4-Bromofluorobenzene	104%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	BPEB-28		
Lab Sample ID:	FA34302-3	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976895.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPEB-28		
Lab Sample ID:	FA34302-3	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		83-118%
17060-07-0	1,2-Dichloroethane-D4	103%		79-125%
2037-26-5	Toluene-D8	101%		85-112%
460-00-4	4-Bromofluorobenzene	106%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	SB103 (2.5-3.5)		
Lab Sample ID:	FA34302-4	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	89.6
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Y28910.D	1	05/27/16	EP	05/27/16 12:42	n/a	VY1168
Run #2							

	Initial Weight	Final Volume
Run #1	4.83 g	5.0 ml
Run #2		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	58	12	ug/kg	
71-43-2	Benzene	ND	5.8	1.5	ug/kg	
100-44-7	Benzyl Chloride	ND	5.8	1.6	ug/kg	
74-97-5	Bromochloromethane	ND	5.8	1.3	ug/kg	
75-27-4	Bromodichloromethane	ND	5.8	1.2	ug/kg	
75-25-2	Bromoform	ND	5.8	1.2	ug/kg	
78-93-3	2-Butanone (MEK)	ND	29	10	ug/kg	
75-15-0	Carbon Disulfide	ND	5.8	1.2	ug/kg	
56-23-5	Carbon Tetrachloride	ND	5.8	2.1	ug/kg	
108-90-7	Chlorobenzene	ND	5.8	1.2	ug/kg	
75-00-3	Chloroethane	ND	5.8	2.3	ug/kg	
67-66-3	Chloroform	ND	5.8	1.4	ug/kg	
110-82-7	Cyclohexane	ND	5.8	1.4	ug/kg	
124-48-1	Dibromochloromethane	ND	5.8	1.2	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.8	2.6	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.8	1.2	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.8	2.9	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	5.8	1.2	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	5.8	1.2	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	5.8	1.2	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.8	1.9	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.8	1.2	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.8	1.2	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.8	1.4	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.8	1.8	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.8	1.8	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.8	2.2	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.8	1.2	ug/kg	
100-41-4	Ethylbenzene	ND	5.8	1.3	ug/kg	
76-13-1	Freon 113	ND	5.8	1.4	ug/kg	
591-78-6	2-Hexanone	ND	29	10	ug/kg	
98-82-8	Isopropylbenzene	ND	5.8	1.6	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	SB103 (2.5-3.5)		
Lab Sample ID:	FA34302-4	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	89.6
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	5.8	1.2	ug/kg	
79-20-9	Methyl Acetate	ND	29	9.9	ug/kg	
74-83-9	Methyl Bromide	ND	5.8	3.0	ug/kg	
74-87-3	Methyl Chloride	ND	5.8	2.8	ug/kg	
108-87-2	Methylcyclohexane	ND	5.8	1.2	ug/kg	
75-09-2	Methylene Chloride	ND	12	4.6	ug/kg	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	29	12	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.8	1.3	ug/kg	
100-42-5	Styrene	ND	5.8	1.2	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	58	16	ug/kg	
75-65-0	Tert-Butyl Alcohol	ND	58	16	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.8	2.6	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.8	1.5	ug/kg	
109-99-9	Tetrahydrofuran	ND	12	4.2	ug/kg	
108-88-3	Toluene	ND	5.8	1.3	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.8	2.3	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.8	1.7	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.8	1.2	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.8	2.1	ug/kg	
79-01-6	Trichloroethylene	ND	5.8	1.4	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.8	2.2	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.8	1.2	ug/kg	
75-01-4	Vinyl Chloride	ND	5.8	1.9	ug/kg	
	m,p-Xylene	ND	12	2.0	ug/kg	
95-47-6	o-Xylene	ND	5.8	1.3	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		75-124%
17060-07-0	1,2-Dichloroethane-D4	112%		72-135%
2037-26-5	Toluene-D8	98%		75-126%
460-00-4	4-Bromofluorobenzene	96%		71-133%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	SB103D (2.5-3.5)		
Lab Sample ID:	FA34302-5	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	n/a [a]
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Y28911.D	1	05/27/16	EP	05/27/16 12:46	n/a	VY1168
Run #2							

	Initial Weight	Final Volume
Run #1	4.67 g	5.0 ml
Run #2		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	54	11	ug/kg	
71-43-2	Benzene	ND	5.4	1.3	ug/kg	
100-44-7	Benzyl Chloride	ND	5.4	1.5	ug/kg	
74-97-5	Bromochloromethane	ND	5.4	1.2	ug/kg	
75-27-4	Bromodichloromethane	ND	5.4	1.1	ug/kg	
75-25-2	Bromoform	ND	5.4	1.1	ug/kg	
78-93-3	2-Butanone (MEK)	ND	27	9.7	ug/kg	
75-15-0	Carbon Disulfide	ND	5.4	1.1	ug/kg	
56-23-5	Carbon Tetrachloride	ND	5.4	1.9	ug/kg	
108-90-7	Chlorobenzene	ND	5.4	1.1	ug/kg	
75-00-3	Chloroethane	ND	5.4	2.1	ug/kg	
67-66-3	Chloroform	ND	5.4	1.3	ug/kg	
110-82-7	Cyclohexane	ND	5.4	1.3	ug/kg	
124-48-1	Dibromochloromethane	ND	5.4	1.1	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.4	2.4	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.4	1.1	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.4	2.7	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	5.4	1.1	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	5.4	1.1	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	5.4	1.1	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.4	1.8	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.4	1.1	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.4	1.1	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.4	1.3	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.4	1.6	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.4	1.7	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.4	2.0	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.4	1.1	ug/kg	
100-41-4	Ethylbenzene	ND	5.4	1.2	ug/kg	
76-13-1	Freon 113	ND	5.4	1.3	ug/kg	
591-78-6	2-Hexanone	ND	27	9.3	ug/kg	
98-82-8	Isopropylbenzene	ND	5.4	1.5	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	SB103D (2.5-3.5)		
Lab Sample ID:	FA34302-5	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	n/a [a]
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	5.4	1.1	ug/kg	
79-20-9	Methyl Acetate	ND	27	9.2	ug/kg	
74-83-9	Methyl Bromide	ND	5.4	2.8	ug/kg	
74-87-3	Methyl Chloride	ND	5.4	2.6	ug/kg	
108-87-2	Methylcyclohexane	ND	5.4	1.1	ug/kg	
75-09-2	Methylene Chloride	ND	11	4.3	ug/kg	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	27	11	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.4	1.2	ug/kg	
100-42-5	Styrene	ND	5.4	1.1	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	54	14	ug/kg	
75-65-0	Tert-Butyl Alcohol	ND	54	15	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.4	2.4	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.4	1.4	ug/kg	
109-99-9	Tetrahydrofuran	ND	11	3.9	ug/kg	
108-88-3	Toluene	ND	5.4	1.2	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.4	2.1	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.4	1.6	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.4	1.1	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.4	1.9	ug/kg	
79-01-6	Trichloroethylene	ND	5.4	1.3	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.4	2.0	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.4	1.1	ug/kg	
75-01-4	Vinyl Chloride	ND	5.4	1.8	ug/kg	
	m,p-Xylene	ND	11	1.9	ug/kg	
95-47-6	o-Xylene	ND	5.4	1.2	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		75-124%
17060-07-0	1,2-Dichloroethane-D4	121%		72-135%
2037-26-5	Toluene-D8	104%		75-126%
460-00-4	4-Bromofluorobenzene	119%		71-133%

(a) All results reported on a wet weight basis.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	SB103 (6-7)		
Lab Sample ID:	FA34302-6	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	84.5
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Y28913.D	1	05/27/16	EP	05/27/16 12:50	n/a	VY1168
Run #2 [a]	Y28912.D	1	05/27/16	EP	05/27/16 12:50	n/a	VY1168

	Initial Weight	Final Volume	Methanol Aliquot
Run #1	5.02 g	5.0 ml	100 ul
Run #2	4.87 g	5.0 ml	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	3400	690	ug/kg	
71-43-2	Benzene	ND	340	86	ug/kg	
100-44-7	Benzyl Chloride	ND	340	95	ug/kg	
74-97-5	Bromochloromethane	ND	340	76	ug/kg	
75-27-4	Bromodichloromethane	ND	340	68	ug/kg	
75-25-2	Bromoform	ND	340	68	ug/kg	
78-93-3	2-Butanone (MEK)	ND	1700	620	ug/kg	
75-15-0	Carbon Disulfide	ND	340	68	ug/kg	
56-23-5	Carbon Tetrachloride	ND	340	120	ug/kg	
108-90-7	Chlorobenzene	ND	340	68	ug/kg	
75-00-3	Chloroethane	ND	340	140	ug/kg	
67-66-3	Chloroform	ND	340	83	ug/kg	
110-82-7	Cyclohexane	ND	340	83	ug/kg	
124-48-1	Dibromochloromethane	ND	340	68	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	340	150	ug/kg	
106-93-4	1,2-Dibromoethane	ND	340	68	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	340	170	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	340	68	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	340	68	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	340	69	ug/kg	
75-34-3	1,1-Dichloroethane	ND	340	110	ug/kg	
107-06-2	1,2-Dichloroethane	ND	340	68	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	340	68	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	340	82	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	340	100	ug/kg	
78-87-5	1,2-Dichloropropane	ND	340	110	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	340	130	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	340	68	ug/kg	
100-41-4	Ethylbenzene	ND	340	74	ug/kg	
76-13-1	Freon 113	ND	340	80	ug/kg	
591-78-6	2-Hexanone	ND	1700	590	ug/kg	
98-82-8	Isopropylbenzene	ND	340	96	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	SB103 (6-7)		
Lab Sample ID:	FA34302-6	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	84.5
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	340	68	ug/kg	
79-20-9	Methyl Acetate	ND	1700	580	ug/kg	
74-83-9	Methyl Bromide	ND	340	180	ug/kg	
74-87-3	Methyl Chloride	ND	340	160	ug/kg	
108-87-2	Methylcyclohexane	ND	340	68	ug/kg	
75-09-2	Methylene Chloride	ND	680	270	ug/kg	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	1700	730	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	340	76	ug/kg	
100-42-5	Styrene	ND	340	68	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	3400	920	ug/kg	
75-65-0	Tert-Butyl Alcohol	ND	3400	930	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	340	150	ug/kg	
127-18-4	Tetrachloroethylene	ND	340	89	ug/kg	
109-99-9	Tetrahydrofuran	ND	680	250	ug/kg	
108-88-3	Toluene	ND	340	77	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	340	130	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	340	100	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	340	68	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	340	120	ug/kg	
79-01-6	Trichloroethylene	ND	340	80	ug/kg	
75-69-4	Trichlorofluoromethane	ND	340	130	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	340	68	ug/kg	
75-01-4	Vinyl Chloride	ND	340	110	ug/kg	
	m,p-Xylene	ND	680	120	ug/kg	
95-47-6	o-Xylene	ND	340	75	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%	108%	75-124%
17060-07-0	1,2-Dichloroethane-D4	105%	122%	72-135%
2037-26-5	Toluene-D8	98%	121%	75-126%
460-00-4	4-Bromofluorobenzene	106%	29% [b]	71-133%

(a) Confirmation run for surrogate recoveries.
(b) Outside control limits due to matrix interference.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Raw Data: Y28914.D

SGS Accutest

Report of Analysis

Client Sample ID:	MW-235 (5-6)		
Lab Sample ID:	FA34302-7	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	81.0
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	Y28914.D	1	05/27/16	EP	05/27/16 12:54	n/a	VY1168
Run #2							

	Initial Weight	Final Volume
Run #1	5.30 g	5.0 ml
Run #2		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	16.1	58	12	ug/kg	J
71-43-2	Benzene	ND	5.8	1.5	ug/kg	
100-44-7	Benzyl Chloride	ND	5.8	1.6	ug/kg	
74-97-5	Bromochloromethane	ND	5.8	1.3	ug/kg	
75-27-4	Bromodichloromethane	ND	5.8	1.2	ug/kg	
75-25-2	Bromoform	ND	5.8	1.2	ug/kg	
78-93-3	2-Butanone (MEK)	ND	29	11	ug/kg	
75-15-0	Carbon Disulfide	ND	5.8	1.2	ug/kg	
56-23-5	Carbon Tetrachloride	ND	5.8	2.1	ug/kg	
108-90-7	Chlorobenzene	ND	5.8	1.2	ug/kg	
75-00-3	Chloroethane	ND	5.8	2.3	ug/kg	
67-66-3	Chloroform	ND	5.8	1.4	ug/kg	
110-82-7	Cyclohexane	ND	5.8	1.4	ug/kg	
124-48-1	Dibromochloromethane	ND	5.8	1.2	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.8	2.6	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.8	1.2	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.8	2.9	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	5.8	1.2	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	5.8	1.2	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	5.8	1.2	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.8	2.0	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.8	1.2	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.8	1.2	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.8	1.4	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.8	1.8	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.8	1.9	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.8	2.2	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.8	1.2	ug/kg	
100-41-4	Ethylbenzene	ND	5.8	1.3	ug/kg	
76-13-1	Freon 113	ND	5.8	1.4	ug/kg	
591-78-6	2-Hexanone	ND	29	10	ug/kg	
98-82-8	Isopropylbenzene	ND	5.8	1.6	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-235 (5-6)		
Lab Sample ID:	FA34302-7	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	81.0
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	5.8	1.2	ug/kg	
79-20-9	Methyl Acetate	ND	29	10	ug/kg	
74-83-9	Methyl Bromide	ND	5.8	3.0	ug/kg	
74-87-3	Methyl Chloride	ND	5.8	2.8	ug/kg	
108-87-2	Methylcyclohexane	ND	5.8	1.2	ug/kg	
75-09-2	Methylene Chloride [a]	8.2	12	4.7	ug/kg	JB
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	29	12	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.8	1.3	ug/kg	
100-42-5	Styrene	ND	5.8	1.2	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	58	16	ug/kg	
75-65-0	Tert-Butyl Alcohol	ND	58	16	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.8	2.6	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.8	1.5	ug/kg	
109-99-9	Tetrahydrofuran	ND	12	4.2	ug/kg	
108-88-3	Toluene	ND	5.8	1.3	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.8	2.3	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.8	1.7	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.8	1.2	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.8	2.1	ug/kg	
79-01-6	Trichloroethylene	ND	5.8	1.4	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.8	2.2	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.8	1.2	ug/kg	
75-01-4	Vinyl Chloride	ND	5.8	1.9	ug/kg	
	m,p-Xylene	ND	12	2.0	ug/kg	
95-47-6	o-Xylene	ND	5.8	1.3	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		75-124%
17060-07-0	1,2-Dichloroethane-D4	99%		72-135%
2037-26-5	Toluene-D8	112%		75-126%
460-00-4	4-Bromofluorobenzene	107%		71-133%

(a) Suspected laboratory contaminant.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	BPEB-29		
Lab Sample ID:	FA34302-8	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976896.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPEB-29		
Lab Sample ID:	FA34302-8	**Date Sampled:**	05/25/16
Matrix:	AQ - Equipment Blank	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		83-118%
17060-07-0	1,2-Dichloroethane-D4	102%		79-125%
2037-26-5	Toluene-D8	102%		85-112%
460-00-4	4-Bromofluorobenzene	106%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	SB103-GWD		
Lab Sample ID:	FA34302-9	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976897.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	0.79	1.0	0.20	ug/l	J
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	20.2	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	2.4	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	0.51	1.0	0.39	ug/l	J
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	0.65	1.0	0.31	ug/l	J
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	



ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	SB103-GWD		
Lab Sample ID:	FA34302-9	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	0.47	1.0	0.30	ug/l	J
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	0.62	1.0	0.27	ug/l	J
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		83-118%
17060-07-0	1,2-Dichloroethane-D4	103%		79-125%
2037-26-5	Toluene-D8	101%		85-112%
460-00-4	4-Bromofluorobenzene	102%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	SB103-GWS		
Lab Sample ID:	FA34302-10	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976898.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	SB103-GWS		
Lab Sample ID:	FA34302-10	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		83-118%
17060-07-0	1,2-Dichloroethane-D4	103%		79-125%
2037-26-5	Toluene-D8	99%		85-112%
460-00-4	4-Bromofluorobenzene	105%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	TB052616		
Lab Sample ID:	FA34302-11	**Date Sampled:**	05/25/16
Matrix:	AQ - Trip Blank Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976899.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB052616		
Lab Sample ID:	FA34302-11	**Date Sampled:**	05/25/16
Matrix:	AQ - Trip Blank Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		83-118%
17060-07-0	1,2-Dichloroethane-D4	102%		79-125%
2037-26-5	Toluene-D8	102%		85-112%
460-00-4	4-Bromofluorobenzene	106%		83-118%

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS ACCUTEST - FL

CHAIN OF CUSTODY

SGS Accutest - Dayton Florida Highland
TEL. 732-329-0200 FAX. 732-329-3499/3480 Orlando FL
www.accutest.com

FA34302 PAGE 1 OF 1

807638042209

Cooler From NJ

Company Name: Anderson Midland Assoc.	Project Name: BMS Release Assessment	
Street Address: 2700 Westchester	Street:	Billing Information (If different from Report to):
City: Purchase State: NY Zip:	City: Humacao State: PR	Company Name:
Project Contact: Terry Taylor E-mail:	Project #:	Street Address:
Phone #: 914-251-0408	Client Purchase Order #:	City: State: Zip:
Sampler(s) (Signature): N. Rivera, T. Taylor, D. Lindstrand	Project Manager:	Attention:

SGS Accutest Sample #	Field ID / Point of Collection	MEOH/WG Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	Number of preserved Bottles: HCl	H2SO4	HNO3	NaOH	ZnAc/NaOH	NaHSO4	VOC - Method 8260C	Matrix Codes / LAB USE ONLY
1	RA7-GWS		05/25/16	1535	TT	GW	3	3						X	
2	EB05252016		05/25/16	1548	NR	EB	3	3						X	
3	BP EB-28		05/25/16	1635	TT	EB	3	3						X	
4	SB103 (2.5-3.5)		05/26/16	1030	TT	SO	4				1		3	X	
5	SB103D (2.5-3.5)		05/26/16	1030	TT	SO	3						3	X	
6	SB103 (6-7)		05/26/16	1055	TT	SO	4				1		3	X	
7	MW-23S (5-6)		05/26/16	1152	NR	SO	4				1		3	X	
8	BPEB-29		05/26/16	1330	TT	EB	3	3						X	
9	SB103-GWD		05/26/16	1230	TT	GW	3	3						X	
10	SB103-GWS		05/26/16	1400	TT	GW	3	3						X	
11	TB052616		05/10/16	0900		TB	2	2						X	

Turnaround Time (Business days)

- [X] Std. 10 Business Days for soil samples
- [ ] 5 Day RUSH
- [ ] 3 Day RUSH
- [ ] 2 Day RUSH
- [X] 1 Day RUSH for Aqueous samples
- [ ] other

Approved By (SGS Accutest PM): / Date:

Emergency & Rush T/A data available VIA Lablink

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [X] FULLT1 (Level 3+4)
- [ ] NJ Reduced
- [ ] Commercial "C"
- [ ] NJ Data of Known Quality Protocol Reporting
- [ ] NYASP Category A
- [ ] NYASP Category B
- [ ] State Forms
- [ ] EDD Format
- [ ] Other

Commercial "A" = Results Only, Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

Add to Report: Tetrahydrofuran, p-Isopropyltoluene, Benzyl chloride, 1-2-4 Tetramethyl benzene, Tetra amyl Chloride

Sample Inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by	Date Time	Received by	Relinquished by	Date Time	Received by
1		05/26/16 1700	1 Fed Ex	2 FX		2 5/27/16 9:45
3	Relinquished by Sampler:	Date Time:	3	4 Relinquished by:	Date Time:	4 Received by:
5	Relinquished by:	Date Time:	5	Custody Seal # 491 Intact / Not Intact	Preserved where applicable	On Ice (1) Cooler Temp. 4.2

FA34302: Chain of Custody
Page 1 of 3

SGS Accutest

Report of Analysis

Client Sample ID:	RA7 (4-5)		
Lab Sample ID:	FA34301-1	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	79.6
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	Y28908.D	1	05/27/16	EP	05/27/16 11:20	n/a	VY1168
Run #2							

	Initial Weight	Final Volume
Run #1	5.33 g	5.0 ml
Run #2		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	15.0	59	12	ug/kg	J
71-43-2	Benzene	ND	5.9	1.5	ug/kg	
100-44-7	Benzyl Chloride	ND	5.9	1.6	ug/kg	
74-97-5	Bromochloromethane	ND	5.9	1.3	ug/kg	
75-27-4	Bromodichloromethane	ND	5.9	1.2	ug/kg	
75-25-2	Bromoform	ND	5.9	1.2	ug/kg	
78-93-3	2-Butanone (MEK)	ND	29	11	ug/kg	
75-15-0	Carbon Disulfide	ND	5.9	1.2	ug/kg	
56-23-5	Carbon Tetrachloride	ND	5.9	2.1	ug/kg	
108-90-7	Chlorobenzene	ND	5.9	1.2	ug/kg	
75-00-3	Chloroethane	ND	5.9	2.4	ug/kg	
67-66-3	Chloroform	ND	5.9	1.4	ug/kg	
110-82-7	Cyclohexane	ND	5.9	1.4	ug/kg	
124-48-1	Dibromochloromethane	ND	5.9	1.2	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.9	2.6	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.9	1.2	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.9	2.9	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	5.9	1.2	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	5.9	1.2	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	5.9	1.2	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.9	2.0	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.9	1.2	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.9	1.2	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.9	1.4	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.9	1.8	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.9	1.9	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.9	2.2	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.9	1.2	ug/kg	
100-41-4	Ethylbenzene	ND	5.9	1.3	ug/kg	
76-13-1	Freon 113	ND	5.9	1.4	ug/kg	
591-78-6	2-Hexanone	ND	29	10	ug/kg	
98-82-8	Isopropylbenzene	ND	5.9	1.7	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RA7 (4-5)		
Lab Sample ID:	FA34301-1	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	79.6
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	5.9	1.2	ug/kg	
79-20-9	Methyl Acetate	ND	29	10	ug/kg	
74-83-9	Methyl Bromide	ND	5.9	3.0	ug/kg	
74-87-3	Methyl Chloride	ND	5.9	2.8	ug/kg	
108-87-2	Methylcyclohexane	ND	5.9	1.2	ug/kg	
75-09-2	Methylene Chloride [b]	16.4	12	4.7	ug/kg	B
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	29	13	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	2.7	5.9	1.3	ug/kg	J
100-42-5	Styrene	ND	5.9	1.2	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	59	16	ug/kg	
75-65-0	Tert-Butyl Alcohol	104	59	16	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.9	2.6	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.9	1.5	ug/kg	
109-99-9	Tetrahydrofuran	ND	12	4.3	ug/kg	
108-88-3	Toluene	ND	5.9	1.3	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.9	2.3	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.9	1.7	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.9	1.2	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.9	2.1	ug/kg	
79-01-6	Trichloroethylene	ND	5.9	1.4	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.9	2.2	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.9	1.2	ug/kg	
75-01-4	Vinyl Chloride	ND	5.9	2.0	ug/kg	
	m,p-Xylene	ND	12	2.1	ug/kg	
95-47-6	o-Xylene	ND	5.9	1.3	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		75-124%
17060-07-0	1,2-Dichloroethane-D4	108%		72-135%
2037-26-5	Toluene-D8	102%		75-126%
460-00-4	4-Bromofluorobenzene	119%		71-133%

(a) Soil vials were not preserved within 48 hours of sampling.
(b) Suspected laboratory contaminant.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Raw Data: Y28909.D

SGS Accutest

Report of Analysis

Client Sample ID:	MW-22S (2.7-3.7)		
Lab Sample ID:	FA34301-2	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	83.0
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	Y28909.D	1	05/27/16	EP	05/27/16 11:40	n/a	VY1168
Run #2							

	Initial Weight	Final Volume
Run #1	5.91 g	5.0 ml
Run #2		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	51	10	ug/kg	
71-43-2	Benzene	ND	5.1	1.3	ug/kg	
100-44-7	Benzyl Chloride	ND	5.1	1.4	ug/kg	
74-97-5	Bromochloromethane	ND	5.1	1.1	ug/kg	
75-27-4	Bromodichloromethane	ND	5.1	1.0	ug/kg	
75-25-2	Bromoform	ND	5.1	1.0	ug/kg	
78-93-3	2-Butanone (MEK)	ND	25	9.3	ug/kg	
75-15-0	Carbon Disulfide	ND	5.1	1.0	ug/kg	
56-23-5	Carbon Tetrachloride	ND	5.1	1.8	ug/kg	
108-90-7	Chlorobenzene	ND	5.1	1.0	ug/kg	
75-00-3	Chloroethane	ND	5.1	2.0	ug/kg	
67-66-3	Chloroform	ND	5.1	1.2	ug/kg	
110-82-7	Cyclohexane	ND	5.1	1.2	ug/kg	
124-48-1	Dibromochloromethane	ND	5.1	1.0	ug/kg	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.1	2.3	ug/kg	
106-93-4	1,2-Dibromoethane	ND	5.1	1.0	ug/kg	
75-71-8	Dichlorodifluoromethane	ND	5.1	2.5	ug/kg	
95-50-1	1,2-Dichlorobenzene	ND	5.1	1.0	ug/kg	
541-73-1	1,3-Dichlorobenzene	ND	5.1	1.0	ug/kg	
106-46-7	1,4-Dichlorobenzene	ND	5.1	1.0	ug/kg	
75-34-3	1,1-Dichloroethane	ND	5.1	1.7	ug/kg	
107-06-2	1,2-Dichloroethane	ND	5.1	1.0	ug/kg	
75-35-4	1,1-Dichloroethylene	ND	5.1	1.0	ug/kg	
156-59-2	cis-1,2-Dichloroethylene	ND	5.1	1.2	ug/kg	
156-60-5	trans-1,2-Dichloroethylene	ND	5.1	1.5	ug/kg	
78-87-5	1,2-Dichloropropane	ND	5.1	1.6	ug/kg	
10061-01-5	cis-1,3-Dichloropropene	ND	5.1	1.9	ug/kg	
10061-02-6	trans-1,3-Dichloropropene	ND	5.1	1.0	ug/kg	
100-41-4	Ethylbenzene	ND	5.1	1.1	ug/kg	
76-13-1	Freon 113	ND	5.1	1.2	ug/kg	
591-78-6	2-Hexanone	ND	25	8.9	ug/kg	
98-82-8	Isopropylbenzene	ND	5.1	1.4	ug/kg	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-22S (2.7-3.7)		
Lab Sample ID:	FA34301-2	**Date Sampled:**	05/25/16
Matrix:	SO - Soil	**Date Received:**	05/27/16
Method:	SW846 8260C SW846 5035	**Percent Solids:**	83.0
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	5.1	1.0	ug/kg	
79-20-9	Methyl Acetate	ND	25	8.7	ug/kg	
74-83-9	Methyl Bromide	ND	5.1	2.6	ug/kg	
74-87-3	Methyl Chloride	ND	5.1	2.4	ug/kg	
108-87-2	Methylcyclohexane	ND	5.1	1.0	ug/kg	
75-09-2	Methylene Chloride [b]	6.2	10	4.1	ug/kg	JB
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	25	11	ug/kg	
1634-04-4	Methyl Tert Butyl Ether	ND	5.1	1.1	ug/kg	
100-42-5	Styrene	ND	5.1	1.0	ug/kg	
75-85-4	Tert-Amyl Alcohol	ND	51	14	ug/kg	
75-65-0	Tert-Butyl Alcohol	ND	51	14	ug/kg	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.1	2.3	ug/kg	
127-18-4	Tetrachloroethylene	ND	5.1	1.3	ug/kg	
109-99-9	Tetrahydrofuran	ND	10	3.7	ug/kg	
108-88-3	Toluene	ND	5.1	1.2	ug/kg	
87-61-6	1,2,3-Trichlorobenzene	ND	5.1	2.0	ug/kg	
120-82-1	1,2,4-Trichlorobenzene	ND	5.1	1.5	ug/kg	
71-55-6	1,1,1-Trichloroethane	ND	5.1	1.0	ug/kg	
79-00-5	1,1,2-Trichloroethane	ND	5.1	1.8	ug/kg	
79-01-6	Trichloroethylene	ND	5.1	1.2	ug/kg	
75-69-4	Trichlorofluoromethane	ND	5.1	1.9	ug/kg	
95-63-6	1,2,4-Trimethylbenzene	ND	5.1	1.0	ug/kg	
75-01-4	Vinyl Chloride	ND	5.1	1.7	ug/kg	
	m,p-Xylene	ND	10	1.8	ug/kg	
95-47-6	o-Xylene	ND	5.1	1.1	ug/kg	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		75-124%
17060-07-0	1,2-Dichloroethane-D4	127%		72-135%
2037-26-5	Toluene-D8	111%		75-126%
460-00-4	4-Bromofluorobenzene	101%		71-133%

(a) Soil vials were not preserved within 48 hours of sampling.
(b) Suspected laboratory contaminant.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	RA7-GWD		
Lab Sample ID:	FA34301-3	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	J0976892.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2	J0976916.D	20	05/31/16	DP	n/a	n/a	VJ5322

	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	0.21	1.0	0.20	ug/l	J
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	0.88	2.0	0.23	ug/l	J
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	0.34	1.0	0.30	ug/l	J
110-82-7	Cyclohexane	7.2	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	0.79	1.0	0.33	ug/l	J

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	RA7-GWD		
Lab Sample ID:	FA34301-3	**Date Sampled:**	05/25/16
Matrix:	AQ - Ground Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	67.9	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	1740 [a]	400	180	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	4.9	5.0	1.4	ug/l	J
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%	103%	83-118%
17060-07-0	1,2-Dichloroethane-D4	101%	103%	79-125%
2037-26-5	Toluene-D8	102%	101%	85-112%
460-00-4	4-Bromofluorobenzene	104%	103%	83-118%

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

SGS Accutest

Report of Analysis

Client Sample ID:	TB052516		
Lab Sample ID:	FA34301-4	**Date Sampled:**	05/13/16
Matrix:	AQ - Trip Blank Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 [a]	J0976891.D	1	05/28/16	SP	n/a	n/a	VJ5319
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	25	10	ug/l	
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-44-7	Benzyl Chloride	ND	2.0	0.44	ug/l	
74-97-5	Bromochloromethane	ND	1.0	0.42	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.24	ug/l	
75-25-2	Bromoform	ND	1.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	5.0	2.6	ug/l	
75-15-0	Carbon Disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon Tetrachloride	ND	1.0	0.30	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.20	ug/l	
75-00-3	Chloroethane	ND	2.0	0.63	ug/l	
67-66-3	Chloroform	ND	1.0	0.30	ug/l	
110-82-7	Cyclohexane	ND	1.0	0.26	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.26	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	5.0	0.81	ug/l	
106-93-4	1,2-Dibromoethane	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	2.0	0.50	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.27	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.24	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.39	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.26	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.28	ug/l	
75-35-4	1,1-Dichloroethylene	ND	1.0	0.22	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	1.0	0.33	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.34	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.25	ug/l	
76-13-1	Freon 113	ND	1.0	0.32	ug/l	
591-78-6	2-Hexanone	ND	10	2.0	ug/l	
98-82-8	Isopropylbenzene	ND	1.0	0.33	ug/l	

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TB052516		
Lab Sample ID:	FA34301-4	**Date Sampled:**	05/13/16
Matrix:	AQ - Trip Blank Water	**Date Received:**	05/27/16
Method:	SW846 8260C	**Percent Solids:**	n/a
Project:	BMSMC, Building 5 Area, Humacao, PR		

VOA TCL List (SOM02.0)

CAS No.	Compound	Result	RL	MDL	Units	Q
99-87-6	p-Isopropyltoluene	ND	1.0	0.28	ug/l	
79-20-9	Methyl Acetate	ND	20	5.0	ug/l	
74-83-9	Methyl Bromide	ND	2.0	0.50	ug/l	
74-87-3	Methyl Chloride	ND	2.0	0.50	ug/l	
108-87-2	Methylcyclohexane	ND	1.0	0.23	ug/l	
75-09-2	Methylene Chloride	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone (MIBK)	ND	5.0	1.4	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND	1.0	0.20	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
75-85-4	Tert-Amyl Alcohol	ND	20	6.0	ug/l	
75-65-0	Tert-Butyl Alcohol	ND	20	9.1	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.33	ug/l	
127-18-4	Tetrachloroethylene	ND	1.0	0.30	ug/l	
109-99-9	Tetrahydrofuran	ND	5.0	1.4	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND	2.0	0.51	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	2.0	0.50	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.20	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.37	ug/l	
79-01-6	Trichloroethylene	ND	1.0	0.27	ug/l	
75-69-4	Trichlorofluoromethane	ND	2.0	0.50	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND	1.0	0.20	ug/l	
75-01-4	Vinyl Chloride	ND	1.0	0.31	ug/l	
	m,p-Xylene	ND	2.0	0.30	ug/l	
95-47-6	o-Xylene	ND	1.0	0.26	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		83-118%
17060-07-0	1,2-Dichloroethane-D4	100%		79-125%
2037-26-5	Toluene-D8	102%		85-112%
460-00-4	4-Bromofluorobenzene	108%		83-118%

(a) Sample analyzed beyond hold time; reported results are considered minimum values.

ND = Not detected MDL = Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range
J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Raw Data: Y28915.D Y28916.D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA34301
Account: AMANYWP Anderson, Mulholland & Associates
Project: BMSMC, Building 5 Area, Humacao, PR

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
FA34301-1MS	Y28915.D	1	05/27/16	EP	n/a	n/a	VY1168
FA34301-1MSD	Y28916.D	1	05/27/16	EP	n/a	n/a	VY1168
FA34301-1 [a]	Y28908.D	1	05/27/16	EP	n/a	n/a	VY1168

The QC reported here applies to the following samples: Method: SW846 8260C

FA34301-1, FA34301-2

CAS No.	Compound	FA34301-1 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	15.0	J	288	151	47*	291	170	53*	12	61-152/27
71-43-2	Benzene	ND		57.6	52.5	91	58.3	46.8	80	11	76-126/26
100-44-7	Benzyl Chloride	ND		57.6	44.8	78	58.3	41.6	71	7	65-126/31
74-97-5	Bromochloromethane	ND		57.6	50.1	87	58.3	45.7	78	9	77-120/24
75-27-4	Bromodichloromethane	ND		57.6	51.3	89	58.3	49.1	84	4	74-130/25
75-25-2	Bromoform	ND		57.6	57.5	100	58.3	55.7	96	3	76-127/26
78-93-3	2-Butanone (MEK)	ND		288	200	69*	291	208	71*	4	75-137/25
75-15-0	Carbon Disulfide	ND		57.6	43.5	75	58.3	41.6	71*	4	72-122/29
56-23-5	Carbon Tetrachloride	ND		57.6	45.3	79	58.3	41.7	72*	8	78-133/29
108-90-7	Chlorobenzene	ND		57.6	55.0	95	58.3	47.4	81	15	81-129/29
75-00-3	Chloroethane	ND		57.6	47.8	83	58.3	42.5	73	12	68-133/29
67-66-3	Chloroform	ND		57.6	45.5	79	58.3	40.8	70*	11	72-123/26
110-82-7	Cyclohexane	ND		57.6	48.1	83	58.3	42.2	72*	13	73-126/32
124-48-1	Dibromochloromethane	ND		57.6	55.1	96	58.3	50.3	86	9	76-127/27
96-12-8	1,2-Dibromo-3-chloropropane	ND		57.6	48.3	84	58.3	49.6	85	3	70-137/29
106-93-4	1,2-Dibromoethane	ND		57.6	55.8	97	58.3	53.0	91	5	77-126/26
75-71-8	Dichlorodifluoromethane	ND		57.6	52.9	92	58.3	47.3	81	11	68-168/29
95-50-1	1,2-Dichlorobenzene	ND		57.6	55.0	95	58.3	47.6	82	14	80-129/32
541-73-1	1,3-Dichlorobenzene	ND		57.6	53.9	94	58.3	46.7	80*	14	81-129/33
106-46-7	1,4-Dichlorobenzene	ND		57.6	51.7	90	58.3	45.3	78	13	76-130/32
75-34-3	1,1-Dichloroethane	ND		57.6	48.6	84	58.3	42.3	73	14	73-125/27
107-06-2	1,2-Dichloroethane	ND		57.6	51.9	90	58.3	49.0	84	6	74-128/23
75-35-4	1,1-Dichloroethylene	ND		57.6	44.8	78*	58.3	41.9	72*	7	81-136/28
156-59-2	cis-1,2-Dichloroethylene	ND		57.6	50.6	88	58.3	43.9	75	14	74-126/26
156-60-5	trans-1,2-Dichloroethylene	ND		57.6	48.7	85	58.3	42.9	74	13	70-127/27
78-87-5	1,2-Dichloropropane	ND		57.6	52.6	91	58.3	49.2	84	7	74-125/25
10061-01-5	cis-1,3-Dichloropropene	ND		57.6	53.5	93	58.3	50.6	87	6	80-123/26
10061-02-6	trans-1,3-Dichloropropene	ND		57.6	56.4	98	58.3	51.7	89	9	75-131/28
100-41-4	Ethylbenzene	ND		57.6	54.2	94	58.3	48.0	82	12	77-123/31
76-13-1	Freon 113	ND		57.6	40.9	71	58.3	38.2	66*	7	71-129/30
591-78-6	2-Hexanone	ND		288	238	83	291	259	89	8	72-133/26
98-82-8	Isopropylbenzene	ND		57.6	58.3	101	58.3	49.2	84	17	80-136/32
99-87-6	p-Isopropyltoluene	ND		57.6	54.1	94	58.3	45.5	78	17	77-131/34
79-20-9	Methyl Acetate	ND		288	264	92	291	256	88	3	67-137/30
74-83-9	Methyl Bromide	ND		57.6	53.5	93	58.3	49.3	85	8	65-139/31
74-87-3	Methyl Chloride	ND		57.6	51.3	89	58.3	46.0	79	11	71-144/27

* = Outside of Control Limits.

Rafael Infante Méndez IC # 1868 — Químico Licenciado

6.3.1

9

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA34301
Account: AMANYWP Anderson, Mulholland & Associates
Project: BMSMC, Building 5 Area, Humacao, PR

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
FA34301-1MS	Y28915.D	1	05/27/16	EP	n/a	n/a	VY1168
FA34301-1MSD	Y28916.D	1	05/27/16	EP	n/a	n/a	VY1168
FA34301-1 [a]	Y28908.D	1	05/27/16	EP	n/a	n/a	VY1168

The QC reported here applies to the following samples: **Method:** SW846 8260C

FA34301-1, FA34301-2

CAS No.	Compound	FA34301-1 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
108-87-2	Methylcyclohexane	ND		57.6	47.2	82	58.3	43.4	74*	8	75-128/31
75-09-2	Methylene Chloride	16.4	B	57.6	56.0	69*	58.3	50.6	59*	10	74-137/28
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		288	247	86	291	260	89	5	76-132/26
1634-04-4	Methyl Tert Butyl Ether	2.7	J	57.6	52.5	86	58.3	48.0	78	9	77-120/24
100-42-5	Styrene	ND		57.6	58.8	102	58.3	52.8	91	11	78-125/30
75-85-4	Tert-Amyl Alcohol	ND		576	610	106	583	627	108	3	69-130/32
75-65-0	Tert-Butyl Alcohol	104		576	614	88	583	552	77	11	74-126/32
79-34-5	1,1,2,2-Tetrachloroethane	ND		57.6	48.0	83	58.3	45.8	79	5	71-126/30
127-18-4	Tetrachloroethylene	ND		57.6	59.5	103	58.3	50.4	86	17	79-130/31
109-99-9	Tetrahydrofuran	ND		57.6	44.7	78	58.3	49.8	85	11	70-133/26
108-88-3	Toluene	ND		57.6	52.6	91	58.3	46.5	80	12	76-124/30
87-61-6	1,2,3-Trichlorobenzene	ND		57.6	55.6	96	58.3	49.0	84	13	77-128/35
120-82-1	1,2,4-Trichlorobenzene	ND		57.6	54.3	94	58.3	46.4	80	16	78-130/34
71-55-6	1,1,1-Trichloroethane	ND		57.6	49.2	85	58.3	44.1	76	11	70-129/27
79-00-5	1,1,2-Trichloroethane	ND		57.6	52.0	90	58.3	49.0	84	6	74-124/28
79-01-6	Trichloroethylene	ND		57.6	54.0	94	58.3	46.4	80	15	75-128/27
75-69-4	Trichlorofluoromethane	ND		57.6	48.6	84	58.3	43.8	75	10	73-145/31
95-63-6	1,2,4-Trimethylbenzene	ND		57.6	55.0	95	58.3	47.1	81	15	74-123/34
75-01-4	Vinyl Chloride	ND		57.6	45.3	79	58.3	46.3	79	2	76-141/27
	m,p-Xylene	ND		115	113	98	117	101	87	11	80-128/30
95-47-6	o-Xylene	ND		57.6	56.3	98	58.3	52.0	89	8	80-132/30

CAS No.	Surrogate Recoveries	MS	MSD	FA34301-1	Limits
1868-53-7	Dibromofluoromethane	96%	97%	99%	75-124%
17060-07-0	1,2-Dichloroethane-D4	92%	100%	108%	72-135%
2037-26-5	Toluene-D8	97%	99%	102%	75-126%
460-00-4	4-Bromofluorobenzene	107%	107%	119%	71-133%

(a) Soil vials were not preserved within 48 hours of sampling.

* = Outside of Control Limits.

Raw Data: J0976906.D J0976907.D

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA34301
Account: AMANYWP Anderson, Mulholland & Associates
Project: BMSMC, Building 5 Area, Humacao, PR

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
FA34301-3MS	J0976906.D	1	05/28/16	SP	n/a	n/a	VJ5319
FA34301-3MSD	J0976907.D	1	05/28/16	SP	n/a	n/a	VJ5319
FA34301-3	J0976892.D	1	05/28/16	SP	n/a	n/a	VJ5319

The QC reported here applies to the following samples: Method: SW846 8260C

FA34301-3, FA34301-4

CAS No.	Compound	FA34301-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
67-64-1	Acetone	ND		125	96.4	77	125	104	83	8	50-147/21
71-43-2	Benzene	0.21	J	25	25.2	100	25	24.7	98	2	81-122/14
100-44-7	Benzyl Chloride	ND		25	18.2	73	25	18.0	72	1	54-122/18
74-97-5	Bromochloromethane	ND		25	21.8	87	25	22.9	92	5	76-123/14
75-27-4	Bromodichloromethane	ND		25	23.5	94	25	22.0	88	7	79-123/19
75-25-2	Bromoform	ND		25	17.9	72	25	18.2	73	2	66-123/21
78-93-3	2-Butanone (MEK)	ND		125	106	85	125	113	90	6	56-143/18
75-15-0	Carbon Disulfide	0.88	J	25	20.8	80	25	20.8	80	0	66-148/23
56-23-5	Carbon Tetrachloride	ND		25	25.2	101	25	23.6	94	7	76-136/23
108-90-7	Chlorobenzene	ND		25	24.0	96	25	24.0	96	0	82-124/14
75-00-3	Chloroethane	ND		25	26.5	106	25	25.2	101	5	62-144/20
67-66-3	Chloroform	0.34	J	25	24.9	98	25	24.7	97	1	80-124/15
110-82-7	Cyclohexane	7.2		25	33.1	104	25	32.7	102	1	73-138/18
124-48-1	Dibromochloromethane	ND		25	21.1	84	25	20.7	83	2	78-122/19
96-12-8	1,2-Dibromo-3-chloropropane	ND		25	19.9	80	25	21.0	84	5	64-123/18
106-93-4	1,2-Dibromoethane	ND		25	23.2	93	25	24.2	97	4	75-120/13
75-71-8	Dichlorodifluoromethane	ND		25	25.1	100	25	25.4	102	1	42-167/19
95-50-1	1,2-Dichlorobenzene	ND		25	24.0	96	25	24.3	97	1	82-124/14
541-73-1	1,3-Dichlorobenzene	ND		25	24.2	97	25	24.8	99	2	84-125/14
106-46-7	1,4-Dichlorobenzene	ND		25	23.4	94	25	23.7	95	1	78-120/15
75-34-3	1,1-Dichloroethane	ND		25	25.8	103	25	26.0	104	1	81-122/15
107-06-2	1,2-Dichloroethane	ND		25	24.0	96	25	23.7	95	1	75-125/14
75-35-4	1,1-Dichloroethylene	ND		25	24.8	99	25	25.5	102	3	78-137/18
156-59-2	cis-1,2-Dichloroethylene	ND		25	23.3	93	25	24.1	96	3	78-120/15
156-60-5	trans-1,2-Dichloroethylene	ND		25	27.5	110	25	27.7	111	1	76-127/17
78-87-5	1,2-Dichloropropane	ND		25	23.9	96	25	23.4	94	2	76-124/14
10061-01-5	cis-1,3-Dichloropropene	ND		25	22.9	92	25	21.7	87	5	75-118/23
10061-02-6	trans-1,3-Dichloropropene	ND		25	24.6	98	25	23.7	95	4	80-120/22
100-41-4	Ethylbenzene	ND		25	24.4	98	25	24.1	96	1	81-121/14
76-13-1	Freon 113	ND		25	21.9	88	25	22.0	88	0	72-134/20
591-78-6	2-Hexanone	ND		125	111	89	125	115	92	4	61-129/18
98-82-8	Isopropylbenzene	0.79	J	25	28.5	111	25	28.4	110	0	83-132/15
99-87-6	p-Isopropyltoluene	ND		25	25.9	104	25	25.8	103	0	79-130/16
79-20-9	Methyl Acetate	ND		125	107	86	125	114	91	6	65-126/18
74-83-9	Methyl Bromide	ND		25	25.1	100	25	24.2	97	4	59-143/19
74-87-3	Methyl Chloride	ND		25	25.4	102	25	26.2	105	3	50-159/19

* = Outside of Control Limits.

6.3.2

6

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: FA34301
Account: AMANYWP Anderson, Mulholland & Associates
Project: BMSMC, Building 5 Area, Humacao, PR

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
FA34301-3MS	J0976906.D	1	05/28/16	SP	n/a	n/a	VJ5319
FA34301-3MSD	J0976907.D	1	05/28/16	SP	n/a	n/a	VJ5319
FA34301-3	J0976892.D	1	05/28/16	SP	n/a	n/a	VJ5319

The QC reported here applies to the following samples: Method: SW846 8260C

FA34301-3, FA34301-4

CAS No.	Compound	FA34301-3 ug/l	Q	Spike ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
108-87-2	Methylcyclohexane	ND		25	25.9	104	25	25.4	102	2	76-129/17
75-09-2	Methylene Chloride	ND		25	23.0	92	25	23.2	93	1	69-135/16
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		125	117	94	125	123	98	5	66-122/16
1634-04-4	Methyl Tert Butyl Ether	67.9		25	90.0	88	25	93.9	104	4	72-117/14
100-42-5	Styrene	ND		25	20.4	82	25	20.1	80	1	78-119/23
75-85-4	Tert-Amyl Alcohol	ND		250	229	92	250	242	97	6	65-124/23
75-65-0	Tert-Butyl Alcohol	1940	E	250	2210	108	250	2260	128	2	63-129/27
79-34-5	1,1,2,2-Tetrachloroethane	ND		25	23.4	94	25	24.4	98	4	72-120/14
127-18-4	Tetrachloroethylene	ND		25	23.7	95	25	24.0	96	1	76-135/16
109-99-9	Tetrahydrofuran	4.9	J	25	26.7	87	25	28.5	94	7	56-122/21
108-88-3	Toluene	ND		25	24.0	96	25	24.0	96	0	80-120/14
87-61-6	1,2,3-Trichlorobenzene	ND		25	21.0	84	25	23.0	92	9	68-131/25
120-82-1	1,2,4-Trichlorobenzene	ND		25	22.0	88	25	23.7	95	7	73-129/20
71-55-6	1,1,1-Trichloroethane	ND		25	24.0	96	25	24.0	96	0	75-130/16
79-00-5	1,1,2-Trichloroethane	ND		25	24.2	97	25	24.5	98	1	76-119/14
79-01-6	Trichloroethylene	ND		25	25.7	103	25	25.9	104	1	81-126/15
75-69-4	Trichlorofluoromethane	ND		25	25.2	101	25	25.3	101	0	71-156/21
95-63-6	1,2,4-Trimethylbenzene	ND		25	25.7	103	25	25.5	102	1	79-120/18
75-01-4	Vinyl Chloride	ND		25	24.5	98	25	23.9	96	2	69-159/18
	m,p-Xylene	ND		50	48.9	98	50	48.4	97	1	79-126/15
95-47-6	o-Xylene	ND		25	25.8	103	25	25.9	104	0	80-127/14

CAS No.	Surrogate Recoveries	MS	MSD	FA34301-3	Limits
1868-53-7	Dibromofluoromethane	101%	101%	100%	83-118%
17060-07-0	1,2-Dichloroethane-D4	99%	101%	101%	79-125%
2037-26-5	Toluene-D8	96%	98%	102%	85-112%
460-00-4	4-Bromofluorobenzene	98%	99%	104%	83-118%

* = Outside of Control Limits.



SGS ACCUTEST – FL

CHAIN OF CUSTODY

SGS Accutest – Florida
4356 Bonnie Lane, Dayton NJ 08810 Vineland
TEL. 732-329-0300 FAX: 732-329-3499 Orlando FL
www.accutest.com

FA34301

808287530897

PAGE 1 OF 1

Cooler Temp from NJ

Matrix Codes: DW - Drinking Water; GW - Ground Water; WW - Water; SW - Surface Water; SO - Soil; SL - Sludge; SED - Sediment; OI - Oil; LIQ - Other Liquid; AIR - Air; SOL - Other Solid; WP - Wipe; FB - Field Blank; EB - Equipment Blank; RB - Rinse Blank; TB - Trip Blank

Company Name	Anderson, Mulholland Assoc Inc
Address	2700 Westchester
City, State, Zip	Purchase NY
Project Contact	Terry Taylor
Phone #	914-251-0400
Sampler(s) Name(s)	T-Taylor, N-Rivera, P-Westrand
Project Name	BMS Release Assessment
Street	
City, State	Humacao
Project #	
Client Purchase Order #	
Project Manager	
Billing Information (if different from Report to)	
Company Name	
Street Address	
City, State, Zip	
Attention	

#	Field ID / Point of Collection	MEOH/DI Vial #	Collection Date	Collection Time	Sampled by	Matrix	# of bottles	HCl	MeOH	HNO3	H2SO4	NONE	DI Water	MEOH	ENCORE	VOC - Method 8260C	Lab Use Only
1	RA7 (4-5')		05/25/16	1010	TT	SO	4					1			3	X	
1	RA7 (4-5') MS		05/25/16	1010	TT	SO	3								3	X	
1	RA7 (4-5') MSD		05/25/16	1010	TT	SO	3								3	X	
2	MW-22S (2.7-3.7)		05/25/16	1112	NR	SO	4					1			3	X	
3	RA7-GWD		05/25/16	1330	TT	GW	3	3								X	
3	RA7-GWD-MS		05/25/16	1330	TT	GW	3	3								X	
3	RA7-GWD-MSD		05/25/16	1330	TT	GW	3	3								X	
4	TB052516		05/18/16	0800		TB	2	2								X	

Turnaround Time (Business days)

☒ Std. 10 Business Days — For soil samples
☐ 5 Day RUSH
☐ 3 Day RUSH
☐ 2 Day RUSH
☒ 1 Day RUSH — For aqueous Samples
☐ Other

Approved By (SGS Accutest PM): / Date

Emergency & Rush TAT only available for Labs

Data Deliverable Information

☐ Commercial "A" (Level 1)
☐ Commercial "B" (Level 2)
☒ FULLT1 (Level 3+4)
☐ NJ Reduced
☐ Commercial "C"
☐ NJ Data of Known Quality Protocol Reporting

☐ NYASP Category A
☐ NYASP Category B
☐ State Forms
☐ EDD Format
☐ Other

Commercial "A" = Results Only, Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data

Comments / Special Instructions

Add to Report: Tetrahydrofuran, p-Isopropyltoluene, Benzyl chloride, 1-2-4 Tetramethyl benzene, Tetra amyl chloride

Sample inventory is verified upon receipt in the Laboratory

Sample Custody must be documented below each time samples change possession, including courier delivery.

	Relinquished by	Date/Time	Received by	Relinquished by	Date/Time	Received by
1		05/25/16 1700	1 Fed Ex	2 FX		2 045 5/27/16
3	Relinquished by Sampler	Date/Time	3	4		4
5	Relinquished by:	Date/Time	5	Custody Seal # 331 ☐ Intact ☐ Not Intact	Preserved where applicable ☐	On Ice ☐ Cooler Temp (1) 3.7

FA34301: Chain of Custody
Page 1 of 3

EXECUTIVE NARRATIVE

SDG No:	**FA34301**	Laboratory:	**Accutest, Florida**
Analysis:	**SW846-8260C**	Number of Samples:	**8**
Location:	BMSMC – Building 5 Area Humacao, PR		

SUMMARY: Eight (8) samples were analyzed for volatile organic compounds (VOCs) by method SW846-8260C. The sample results were assessed according to USEPA data validation guidance documents in the following order of precedence: USEPA Hazardous Waste Support Section SOP No. HW-33A Revision 0 SOM02.2. Low/Medium Volatile Data Validation. July, 2015. The QC criteria and data validation actions listed on the data review worksheets are from the primary guidance document, unless otherwise noted. Results are valid and can be used for decision making purposes.

Critical issues: **None**
Major: **None**
Minor: **None**

Critical findings: **None**
Major findings: **None**
Minor findings:

1. Sample FA34301-4 was analyzed outside the method recommended holding time. No action, the sample was a trip blank.

Soil samples FA34301-1and FA34301-2 not preserved within 48 hours of collection. Results for these samples not qualified, samples analyzed within seven days of collection.

2. Acetone initial calibration verification was outside the method performance criteria but within the guidance validation document criteria. No action taken.

Vinyl chloride continuing calibration verification was outside the method performance criteria but within the guidance validation document criteria. No action taken.

3. Methylene chloride detected in method blank below the reporting limit. Methylene chloride detected in sample FA34301-1 at a concentration above the reporting limit. Laboratory qualified the result as (B), no further qualification performed. Methylene chloride detected in sample FA34301-2 at a concentration below the reporting limit. Laboratory qualified the result as (JB), no further qualification performed.

4. Several analytes recovered below the laboratory lower control limits but within generally acceptable control limits in sample FA34301-1 (QC sample for the batch). Results qualified in sample FA34301-1 for analytes not meeting the MS/MSD criteria as (J) or (UJ).

COMMENTS: Results are valid and can be used for decision making purposes.

Reviewers Name: Rafael Infante
Chemist License 1888

Signature: Rafael Infante

Date: June 11, 2016

SAMPLE ORGANIC DATA SAMPLE SUMMARY

Sample ID: FA34301-1
Sample location: BMSMC Building 5 Area
Sampling date: 5/27/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	15.0	ug/kg	1.0	J	UJ	Yes
Benzene	5.9	ug/kg	1.0	-	U	Yes
Benzyl Chloride	5.9	ug/kg	1.0	-	U	Yes
Bromochloromethane	5.9	ug/kg	1.0	-	U	Yes
Bromodichloromethane	5.9	ug/kg	1.0	-	U	Yes
Bromoform	5.9	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	29	ug/kg	1.0	-	UJ	Yes
Carbon disulfide	5.9	ug/kg	1.0	-	UJ	Yes
Carbon tetrachloride	5.9	ug/kg	1.0	-	UJ	Yes
Chlorobenzene	5.9	ug/kg	1.0	-	U	Yes
Chloroethane	5.9	ug/kg	1.0	-	U	Yes
Chloroform	5.9	ug/kg	1.0	-	UJ	Yes
Cyclohexane	5.9	ug/kg	1.0	-	UJ	Yes
Dibromochloromethane	5.9	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.9	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	5.9	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	5.9	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	5.9	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	5.9	ug/kg	1.0	-	UJ	Yes
1,4-Dichlorobenzene	5.9	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	5.9	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	5.9	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	5.9	ug/kg	1.0	-	UJ	Yes
cis-1,2-Dichloroethene	5.9	ug/kg	1.0	-	U	Yes

trans-1,2-Dichloroethene	5.9	ug/kg	1.0	-	U	Yes
1,2-Dichloropropane	5.9	ug/kg	1.0	-	U	Yes
cis-1,3-Dichloropropene	5.9	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	5.9	ug/kg	1.0	-	U	Yes
Ethylbenzene	5.9	ug/kg	1.0	-	U	Yes
Freon 113	5.9	ug/kg	1.0	-	UJ	Yes
2-Hexanone	29	ug/kg	1.0	-	U	Yes
Isopropylbenzene	5.9	ug/kg	1.0	J	UJ	Yes
p-Isopropyltoluene	5.9	ug/kg	1.0	-	U	Yes
Methyl Acetate	29	ug/kg	1.0	-	U	Yes
Methyl Bromide	5.9	ug/kg	1.0	-	U	Yes
Methyl Chloride	5.9	ug/kg	1.0	-	U	Yes
Methylcyclohexane	5.9	ug/kg	1.0	-	UJ	Yes
Methylene chloride	16.4	ug/kg	1.0	B	J	Yes
4-Methyl-2-pentanone(MIBK)	29	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	2.7	ug/kg	1.0	J	UJ	Yes
Styrene	5.9	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	59	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	104	ug/kg	1.0	-	-	Yes
1,1,2,2-Tetrachloroethane	5.9	ug/kg	1.0	-	U	Yes
Tetrachloroethene	5.9	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	12	ug/kg	1.0	-	U	Yes
Toluene	5.9	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	5.9	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	5.9	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	5.9	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	5.9	ug/kg	1.0	-	U	Yes
Trichloroethene	5.9	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	5.9	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	5.9	ug/kg	1.0	-	U	Yes
Vinyl chloride	5.9	ug/kg	1.0	-	U	Yes
m,p-Xylene	12	ug/kg	1.0	-	U	Yes
o-Xylene	5.9	ug/kg	1.0	-	U	Yes

Sample ID: FA34301-2
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	51	ug/kg	1.0	-	U	Yes
Benzene	5.1	ug/kg	1.0	-	U	Yes
Benzyl Chloride	5.1	ug/kg	1.0	-	U	Yes
Bromochloromethane	5.1	ug/kg	1.0	-	U	Yes
Bromodichloromethane	5.1	ug/kg	1.0	-	U	Yes
Bromoform	5.1	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	25	ug/kg	1.0	-	U	Yes
Carbon disulfide	5.1	ug/kg	1.0	-	U	Yes
Carbon tetrachloride	5.1	ug/kg	1.0	-	U	Yes
Chlorobenzene	5.1	ug/kg	1.0	-	U	Yes
Chloroethane	5.1	ug/kg	1.0	-	U	Yes
Chloroform	5.1	ug/kg	1.0	-	U	Yes
Cyclohexane	5.1	ug/kg	1.0	-	U	Yes
Dibromochloromethane	5.1	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.1	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	5.1	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	5.1	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	5.1	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	5.1	ug/kg	1.0	-	U	Yes
1,4-Dichlorobenzene	5.1	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	5.1	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	5.1	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	5.1	ug/kg	1.0	-	U	Yes
cis-1,2-Dichloroethene	5.1	ug/kg	1.0	-	U	Yes
trans-1,2-Dichloroethene	5.1	ug/kg	1.0	-	U	Yes
1,2-Dichloropropane	5.1	ug/kg	1.0	-	U	Yes

cis-1,3-Dichloropropene	5.1	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	5.1	ug/kg	1.0	-	U	Yes
Ethylbenzene	5.1	ug/kg	1.0	-	U	Yes
Freon 113	5.1	ug/kg	1.0	-	U	Yes
2-Hexanone	25	ug/kg	1.0	-	U	Yes
Isopropylbenzene	5.1	ug/kg	1.0	-	U	Yes
p-Isopropyltoluene	5.1	ug/kg	1.0	-	U	Yes
Methyl Acetate	25	ug/kg	1.0	-	U	Yes
Methyl Bromide	5.1	ug/kg	1.0	-	U	Yes
Methyl Chloride	5.1	ug/kg	1.0	-	U	Yes
Methylcyclohexane	5.1	ug/kg	1.0	-	U	Yes
Methylene chloride	6.2	ug/kg	1.0	B	U	Yes
4-Methyl-2-pentanone(MIBK)	25	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	5.1	ug/kg	1.0	-	U	Yes
Styrene	5.1	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	51	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	51	ug/kg	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	5.1	ug/kg	1.0	-	U	Yes
Tetrachloroethene	5.1	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	10	ug/kg	1.0	-	U	Yes
Toluene	5.1	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	5.1	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	5.1	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	5.1	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	5.1	ug/kg	1.0	-	U	Yes
Trichloroethene	5.1	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	5.1	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	5.1	ug/kg	1.0	-	U	Yes
Vinyl chloride	5.1	ug/kg	1.0	-	U	Yes
m,p-Xylene	10	ug/kg	1.0	-	U	Yes
o-Xylene	5.1	ug/kg	1.0	-	U	Yes

Sample ID: FA34301-3
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	0.21	ug/L	1.0	J	UJ	Yes
Benzyl Chloride	1.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	0.88	ug/L	1.0	J	UJ	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	0.34	ug/L	1.0	J	UJ	Yes
Cyclohexane	7.2	ug/L	1.0	-	-	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes

cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	0.79	ug/L	1.0	J	UJ	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	67.9	ug/L	1.0	-	-	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	1740	ug/L	20.0	-	-	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	4.9	ug/L	1.0	J	UJ	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34301-4
Sample location: BMSMC Building 5 Area
Sampling date: 5/13/2016
Matrix: AQ -Trip Blank Water

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	1.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34301-1MS
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	151	ug/kg	1.0	-	-	Yes
Benzene	52.5	ug/kg	1.0	-	-	Yes
Benzyl Chloride	44.8	ug/kg	1.0	-	-	Yes
Bromochloromethane	50.1	ug/kg	1.0	-	-	Yes
Bromodichloromethane	51.3	ug/kg	1.0	-	-	Yes
Bromoform	57.5	ug/kg	1.0	-	-	Yes
2-Butanone (MEK)	200	ug/kg	1.0	-	-	Yes
Carbon disulfide	43.5	ug/kg	1.0	-	-	Yes
Carbon tetrachloride	45.3	ug/kg	1.0	-	-	Yes
Chlorobenzene	55.0	ug/kg	1.0	-	-	Yes
Chloroethane	47.8	ug/kg	1.0	-	-	Yes
Chloroform	45.5	ug/kg	1.0	-	-	Yes
Cyclohexane	48.1	ug/kg	1.0	-	-	Yes
Dibromochloromethane	55.1	ug/kg	1.0	-	-	Yes
1,2-Dibromo-3-chloropropane	48.3	ug/kg	1.0	-	-	Yes
1,2-Dibromoethane	55.8	ug/kg	1.0	-	-	Yes
Dichlorodifluoromethane	52.9	ug/kg	1.0	-	-	Yes
1,2-Dichlorobenzene	55.0	ug/kg	1.0	-	-	Yes
1,3-Dichlorobenzene	53.9	ug/kg	1.0	-	-	Yes
1,4-Dichlorobenzene	51.7	ug/kg	1.0	-	-	Yes
1,1-Dichloroethane	48.6	ug/kg	1.0	-	-	Yes
1,2-Dichloroethane	51.9	ug/kg	1.0	-	-	Yes
1,1-Dichloroethene	44.8	ug/kg	1.0	-	-	Yes
cis-1,2-Dichloroethene	50.6	ug/kg	1.0	-	-	Yes
trans-1,2-Dichloroethene	48.7	ug/kg	1.0	-	-	Yes
1,2-Dichloropropane	52.7	ug/kg	1.0	-	-	Yes

cis-1,3-Dichloropropene	53.5	ug/kg	1.0	-	-	Yes
trans-1,3-Dichloropropene	56.4	ug/kg	1.0	-	-	Yes
Ethylbenzene	54.2	ug/kg	1.0	-	-	Yes
Freon 113	40.9	ug/kg	1.0	-	-	Yes
2-Hexanone	238	ug/kg	1.0	-	-	Yes
Isopropylbenzene	58.3	ug/kg	1.0	-	-	Yes
p-Isopropyltoluene	54.1	ug/kg	1.0	-	-	Yes
Methyl Acetate	264	ug/kg	1.0	-	-	Yes
Methyl Bromide	53.5	ug/kg	1.0	-	-	Yes
Methyl Chloride	51.3	ug/kg	1.0	-	-	Yes
Methylcyclohexane	47.2	ug/kg	1.0	-	-	Yes
Methylene chloride	56.0	ug/kg	1.0	-	-	Yes
4-Methyl-2-pentanone(MIBK)	247	ug/kg	1.0	-	-	Yes
Methyl Tert Butyl Ether	52.5	ug/kg	1.0	-	-	Yes
Styrene	58.8	ug/kg	1.0	-	-	Yes
Tert-Amyl Alcohol	610	ug/kg	1.0	-	-	Yes
Tert-Butyl Alcohol	614	ug/kg	2.0	-	-	Yes
1,1,2,2-Tetrachloroethane	48.0	ug/kg	1.0	-	-	Yes
Tetrachloroethene	59.5	ug/kg	1.0	-	-	Yes
Tetrahydrofuran	44.7	ug/kg	1.0	-	-	Yes
Toluene	52.6	ug/kg	1.0	-	-	Yes
1,2,3-Trichlorobenzene	55.6	ug/kg	1.0	-	-	Yes
1,2,4-Trichlorobenzene	54.3	ug/kg	1.0	-	-	Yes
1,1,1-Trichloroethane	49.2	ug/kg	1.0	-	-	Yes
1,1,2-Trichloroethane	52.0	ug/kg	1.0	-	-	Yes
Trichloroethene	54.0	ug/kg	1.0	-	-	Yes
Trichlorofluoromethane	48.6	ug/kg	1.0	-	-	Yes
1,2,4-Trimethylbenzene	55.0	ug/kg	1.0	-	-	Yes
Vinyl chloride	45.3	ug/kg	1.0	-	-	Yes
m,p-Xylene	113.0	ug/kg	1.0	-	-	Yes
o-Xylene	57.6	ug/kg	1.0	-	-	Yes

Sample ID: FA34301-1MSD
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	170	ug/kg	1.0	-	-	Yes
Benzene	46.8	ug/kg	1.0	-	-	Yes
Benzyl Chloride	41.6	ug/kg	1.0	-	-	Yes
Bromochloromethane	45.7	ug/kg	1.0	-	-	Yes
Bromodichloromethane	49.1	ug/kg	1.0	-	-	Yes
Bromoform	55.7	ug/kg	1.0	-	-	Yes
2-Butanone (MEK)	208	ug/kg	1.0	-	-	Yes
Carbon disulfide	41.6	ug/kg	1.0	-	-	Yes
Carbon tetrachloride	41.7	ug/kg	1.0	-	-	Yes
Chlorobenzene	47.4	ug/kg	1.0	-	-	Yes
Chloroethane	42.5	ug/kg	1.0	-	-	Yes
Chloroform	40.8	ug/kg	1.0	-	-	Yes
Cyclohexane	42.2	ug/kg	1.0	-	-	Yes
Dibromochloromethane	50.3	ug/kg	1.0	-	-	Yes
1,2-Dibromo-3-chloropropane	49.6	ug/kg	1.0	-	-	Yes
1,2-Dibromoethane	53.0	ug/kg	1.0	-	-	Yes
Dichlorodifluoromethane	47.3	ug/kg	1.0	-	-	Yes
1,2-Dichlorobenzene	47.6	ug/kg	1.0	-	-	Yes
1,3-Dichlorobenzene	46.7	ug/kg	1.0	-	-	Yes
1,4-Dichlorobenzene	45.3	ug/kg	1.0	-	-	Yes
1,1-Dichloroethane	42.3	ug/kg	1.0	-	-	Yes
1,2-Dichloroethane	49.0	ug/kg	1.0	-	-	Yes
1,1-Dichloroethene	41.9	ug/kg	1.0	-	-	Yes
cis-1,2-Dichloroethene	43.9	ug/kg	1.0	-	-	Yes
trans-1,2-Dichloroethene	42.9	ug/kg	1.0	-	-	Yes
1,2-Dichloropropane	49.2	ug/kg	1.0	-	-	Yes

cis-1,3-Dichloropropene	50.6	ug/kg	1.0	-	-	Yes
trans-1,3-Dichloropropene	51.7	ug/kg	1.0	-	-	Yes
Ethylbenzene	48.0	ug/kg	1.0	-	-	Yes
Freon 113	38.2	ug/kg	1.0	-	-	Yes
2-Hexanone	259	ug/kg	1.0	-	-	Yes
Isopropylbenzene	49.2	ug/kg	1.0	-	-	Yes
p-Isopropyltoluene	45.5	ug/kg	1.0	-	-	Yes
Methyl Acetate	256	ug/kg	1.0	-	-	Yes
Methyl Bromide	49.3	ug/kg	1.0	-	-	Yes
Methyl Chloride	46.0	ug/kg	1.0	-	-	Yes
Methylcyclohexane	43.4	ug/kg	1.0	-	-	Yes
Methylene chloride	50.6	ug/kg	1.0	-	-	Yes
4-Methyl-2-pentanone(MIBK)	260	ug/kg	1.0	-	-	Yes
Methyl Tert Butyl Ether	48.0	ug/kg	1.0	-	-	Yes
Styrene	52.8	ug/kg	1.0	-	-	Yes
Tert-Amyl Alcohol	627	ug/kg	1.0	-	-	Yes
Tert-Butyl Alcohol	552	ug/kg	2.0	-	-	Yes
1,1,2,2-Tetrachloroethane	45.8	ug/kg	1.0	-	-	Yes
Tetrachloroethene	50.4	ug/kg	1.0	-	-	Yes
Tetrahydrofuran	49.8	ug/kg	1.0	-	-	Yes
Toluene	46.5	ug/kg	1.0	-	-	Yes
1,2,3-Trichlorobenzene	49.0	ug/kg	1.0	-	-	Yes
1,2,4-Trichlorobenzene	46.4	ug/kg	1.0	-	-	Yes
1,1,1-Trichloroethane	44.1	ug/kg	1.0	-	-	Yes
1,1,2-Trichloroethane	49.0	ug/kg	1.0	-	-	Yes
Trichloroethene	46.4	ug/kg	1.0	-	-	Yes
Trichlorofluoromethane	43.8	ug/kg	1.0	-	-	Yes
1,2,4-Trimethylbenzene	47.1	ug/kg	1.0	-	-	Yes
Vinyl chloride	46.3	ug/kg	1.0	-	-	Yes
m,p-Xylene	101.0	ug/kg	1.0	-	-	Yes
o-Xylene	52.0	ug/kg	1.0	-	-	Yes

Sample ID: FA34301-3MS
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	96.4	ug/l	1.0	-	-	Yes
Benzene	25.2	ug/l	1.0	-	-	Yes
Benzyl Chloride	18.2	ug/l	1.0	-	-	Yes
Bromochloromethane	21.8	ug/l	1.0	-	-	Yes
Bromodichloromethane	23.5	ug/l	1.0	-	-	Yes
Bromoform	17.9	ug/l	1.0	-	-	Yes
2-Butanone (MEK)	106	ug/l	1.0	-	-	Yes
Carbon disulfide	20.8	ug/l	1.0	-	-	Yes
Carbon tetrachloride	25.2	ug/l	1.0	-	-	Yes
Chlorobenzene	24.0	ug/l	1.0	-	-	Yes
Chloroethane	26.5	ug/l	1.0	-	-	Yes
Chloroform	24.9	ug/l	1.0	-	-	Yes
Cyclohexane	33.1	ug/l	1.0	-	-	Yes
Dibromochloromethane	21.1	ug/l	1.0	-	-	Yes
1,2-Dibromo-3-chloropropane	19.9	ug/l	1.0	-	-	Yes
1,2-Dibromoethane	23.2	ug/l	1.0	-	-	Yes
Dichlorodifluoromethane	25.1	ug/l	1.0	-	-	Yes
1,2-Dichlorobenzene	24.0	ug/l	1.0	-	-	Yes
1,3-Dichlorobenzene	24.2	ug/l	1.0	-	-	Yes
1,4-Dichlorobenzene	23.4	ug/l	1.0	-	-	Yes
1,1-Dichloroethane	25.8	ug/l	1.0	-	-	Yes
1,2-Dichloroethane	24.0	ug/l	1.0	-	-	Yes
1,1-Dichloroethene	24.8	ug/l	1.0	-	-	Yes
cis-1,2-Dichloroethene	23.3	ug/l	1.0	-	-	Yes
trans-1,2-Dichloroethene	27.5	ug/l	1.0	-	-	Yes
1,2-Dichloropropane	23.9	ug/l	1.0	-	-	Yes

cis-1,3-Dichloropropene	22.9	ug/l	1.0	-	-	Yes
trans-1,3-Dichloropropene	24.6	ug/l	1.0	-	-	Yes
Ethylbenzene	24.4	ug/l	1.0	-	-	Yes
Freon 113	21.9	ug/l	1.0	-	-	Yes
2-Hexanone	111	ug/l	1.0	-	-	Yes
Isopropylbenzene	28.5	ug/l	1.0	-	-	Yes
p-Isopropyltoluene	25.9	ug/l	1.0	-	-	Yes
Methyl Acetate	107	ug/l	1.0	-	-	Yes
Methyl Bromide	25.1	ug/l	1.0	-	-	Yes
Methyl Chloride	25.4	ug/l	1.0	-	-	Yes
Methylcyclohexane	25.9	ug/l	1.0	-	-	Yes
Methylene chloride	23.0	ug/l	1.0	-	-	Yes
4-Methyl-2-pentanone(MIBK)	117	ug/l	1.0	-	-	Yes
Methyl Tert Butyl Ether	90.0	ug/l	1.0	-	-	Yes
Styrene	20.4	ug/l	1.0	-	-	Yes
Tert-Amyl Alcohol	229	ug/l	1.0	-	-	Yes
Tert-Butyl Alcohol	2210	ug/l	2.0	-	-	Yes
1,1,2,2-Tetrachloroethane	23.4	ug/l	1.0	-	-	Yes
Tetrachloroethene	23.7	ug/l	1.0	-	-	Yes
Tetrahydrofuran	26.7	ug/l	1.0	-	-	Yes
Toluene	24.0	ug/l	1.0	-	-	Yes
1,2,3-Trichlorobenzene	21.0	ug/l	1.0	-	-	Yes
1,2,4-Trichlorobenzene	22.0	ug/l	1.0	-	-	Yes
1,1,1-Trichloroethane	24.0	ug/l	1.0	-	-	Yes
1,1,2-Trichloroethane	24.2	ug/l	1.0	-	-	Yes
Trichloroethene	25.7	ug/l	1.0	-	-	Yes
Trichlorofluoromethane	25.2	ug/l	1.0	-	-	Yes
1,2,4-Trimethylbenzene	25.7	ug/l	1.0	-	-	Yes
Vinyl chloride	24.5	ug/l	1.0	-	-	Yes
m,p-Xylene	48.9	ug/l	1.0	-	-	Yes
o-Xylene	25.8	ug/l	1.0	-	-	Yes

Sample ID: FA34301-3MSD
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	104	ug/l	1.0	-	-	Yes
Benzene	24.7	ug/l	1.0	-	-	Yes
Benzyl Chloride	18.0	ug/l	1.0	-	-	Yes
Bromochloromethane	22.9	ug/l	1.0	-	-	Yes
Bromodichloromethane	22.0	ug/l	1.0	-	-	Yes
Bromoform	18.2	ug/l	1.0	-	-	Yes
2-Butanone (MEK)	113	ug/l	1.0	-	-	Yes
Carbon disulfide	20.8	ug/l	1.0	-	-	Yes
Carbon tetrachloride	23.6	ug/l	1.0	-	-	Yes
Chlorobenzene	24.0	ug/l	1.0	-	-	Yes
Chloroethane	25.2	ug/l	1.0	-	-	Yes
Chloroform	24.7	ug/l	1.0	-	-	Yes
Cyclohexane	32.7	ug/l	1.0	-	-	Yes
Dibromochloromethane	20.7	ug/l	1.0	-	-	Yes
1,2-Dibromo-3-chloropropane	21.0	ug/l	1.0	-	-	Yes
1,2-Dibromoethane	24.2	ug/l	1.0	-	-	Yes
Dichlorodifluoromethane	25.4	ug/l	1.0	-	-	Yes
1,2-Dichlorobenzene	24.3	ug/l	1.0	-	-	Yes
1,3-Dichlorobenzene	24.8	ug/l	1.0	-	-	Yes
1,4-Dichlorobenzene	23.7	ug/l	1.0	-	-	Yes
1,1-Dichloroethane	26.0	ug/l	1.0	-	-	Yes
1,2-Dichloroethane	23.7	ug/l	1.0	-	-	Yes
1,1-Dichloroethene	25.5	ug/l	1.0	-	-	Yes
cis-1,2-Dichloroethene	24.1	ug/l	1.0	-	-	Yes
trans-1,2-Dichloroethene	27.7	ug/l	1.0	-	-	Yes
1,2-Dichloropropane	23.4	ug/l	1.0	-	-	Yes

cis-1,3-Dichloropropene	21.7	ug/l	1.0	-	-	Yes
trans-1,3-Dichloropropene	23.7	ug/l	1.0	-	-	Yes
Ethylbenzene	24.1	ug/l	1.0	-	-	Yes
Freon 113	22.0	ug/l	1.0	-	-	Yes
2-Hexanone	115	ug/l	1.0	-	-	Yes
Isopropylbenzene	28.4	ug/l	1.0	-	-	Yes
p-Isopropyltoluene	25.8	ug/l	1.0	-	-	Yes
Methyl Acetate	114	ug/l	1.0	-	-	Yes
Methyl Bromide	24.2	ug/l	1.0	-	-	Yes
Methyl Chloride	26.2	ug/l	1.0	-	-	Yes
Methylcyclohexane	25.4	ug/l	1.0	-	-	Yes
Methylene chloride	23.2	ug/l	1.0	-	-	Yes
4-Methyl-2-pentanone(MIBK)	123	ug/l	1.0	-	-	Yes
Methyl Tert Butyl Ether	93.9	ug/l	1.0	-	-	Yes
Styrene	20.1	ug/l	1.0	-	-	Yes
Tert-Amyl Alcohol	242	ug/l	1.0	-	-	Yes
Tert-Butyl Alcohol	2260	ug/l	2.0	-	-	Yes
1,1,2,2-Tetrachloroethane	24.4	ug/l	1.0	-	-	Yes
Tetrachloroethene	24.0	ug/l	1.0	-	-	Yes
Tetrahydrofuran	28.5	ug/l	1.0	-	-	Yes
Toluene	24.0	ug/l	1.0	-	-	Yes
1,2,3-Trichlorobenzene	23.0	ug/l	1.0	-	-	Yes
1,2,4-Trichlorobenzene	23.7	ug/l	1.0	-	-	Yes
1,1,1-Trichloroethane	24.0	ug/l	1.0	-	-	Yes
1,1,2-Trichloroethane	24.5	ug/l	1.0	-	-	Yes
Trichloroethene	25.9	ug/l	1.0	-	-	Yes
Trichlorofluoromethane	25.3	ug/l	1.0	-	-	Yes
1,2,4-Trimethylbenzene	25.5	ug/l	1.0	-	-	Yes
Vinyl chloride	23.9	ug/l	1.0	-	-	Yes
m,p-Xylene	48.4	ug/l	1.0	-	-	Yes
o-Xylene	25.9	ug/l	1.0	-	-	Yes

DATA REVIEW WORKSHEETS

Project Number:_FA34301_____
Date:_____May_25,_2016_____
Shipping date:__May_26,_2016_____
EPA Region:_____2_____

REVIEW OF VOLATILE ORGANIC PACKAGE
Low/Medium Volatile Data Validation

The following guidelines for evaluating volatile organics were created to delineate required validation actions. This document will assist the reviewer in using professional judgment to make more informed decision and in better serving the needs of the data users. The sample results were assessed according to USEPA data validation guidance documents in the following order of precedence: USEPA **Hazardous Waste Support Section SOP No. HW-33A Revision 0 SOM02.2. Low/Medium Volatile Data Validation**. July, 2015. The QC criteria and data validation actions listed on the data review worksheets are from the primary guidance document, unless otherwise noted.

The hardcopied (laboratory name) __Accutest_____ data package received has been reviewed and the quality control and performance data summarized. The data review for VOCs included:

Lab. Project/SDG No.: ____FA34301_____ Sample matrix: __Soil/Groundwater__
No. of Samples: _____8_____
Trip blank No.: _____FA34301-4_____
Field blank No.: _____-_____
Equipment blank No.:_____
Field duplicate No.:_____

___X___ Data Completeness
___X___ Holding Times
___X___ GC/MS Tuning
___X___ Internal Standard Performance
___X___ Blanks
___X___ Surrogate Recoveries
___X___ Matrix Spike/Matrix Spike Duplicate
___X___ Laboratory Control Spikes
___X___ Field Duplicates
___X___ Calibrations
___X___ Compound Identifications
___X___ Compound Quantitation
___X___ Quantitation Limits

_OverallComments:___VOA_TCL_list_(SW846_8260C)_____
_Sample_FA34301-4_(Trip_blank)_dated_05/13/16_____
_____

Definition of Qualifiers:
J- Estimated results
U- Compound not detected
R- Rejected data
UJ- Estimated nondetect

Reviewer:_____
Date:___June_8,_2016_____
DATA COMPLETENESS

DATA REVIEW WORKSHEETS

MISSING INFORMATION	DATE LAB. CONTACTED	DATE RECEIVED

All criteria were met __X__
Criteria were not met
and/or see below _____

HOLDING TIMES

The objective of this parameter is to ascertain the validity of the results based on the holding time of the sample from time of collection to the time of analysis.

Complete table for all samples and note the analysis and/or preservation not within criteria

SAMPLE ID	DATE SAMPLED	DATE ANALYZED	pH	ACTION
FA34301-4	05/13/16	05/28/16	2 >	No action; trip blank. Reported results are considered minimum values.
All other samples analyzed within method recommended holding time. Sample preservation within required criteria except soil vials. Samples FA34301-1 and FA34301-2 not preserved within 48 hours of sampling. Results for these samples not qualified, analyzed within 7 days of sample collection.				

Criteria

Aqueous samples – 14 days from sample collection for preserved samples (pH $\leq$ 2, 4$\pm$ 2°C), no air bubbles.
Aqueous samples – 7 days from sample collection for unpreserved samples, 4°C, no air bubbles.
Soil samples- 14 days from sample collection.
Cooler temperature (Criteria: 4 $\pm$ 2 °C): 3.7° C - OK

Actions

Aqueous samples

a. If there is no evidence that the samples were properly preserved (pH < 2, T = 4°C ± 2°C), but the samples were analyzed within the technical holding time [7 days from sample collection], no qualification of the data is necessary.
b. If there is no evidence that the samples were properly preserved, and the samples were analyzed outside of the technical holding time [7 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as unusable (R).
c. If the samples were properly preserved, and the samples were analyzed within the technical holding time [14 days from sample collection], no qualification of the data is necessary.
d. If the samples were properly preserved, but were analyzed outside of the technical holding time [14 days from sample collection], qualify detects as estimated (J) and non-detects as unusable (R).
e. If air bubbles were present in the sample vial used for analysis, qualify detected compounds as estimated (J-) and non-detected compounds as estimated (UJ).

Non-aqueous samples

a. If there is no evidence that the samples were properly preserved (T < -7°C or T = 4°C ± 2°C and preserved with $NaHSO_4$), but the samples were analyzed within the technical holding time [14 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as (UJ) or unusable (R) using professional judgment.

b. If the samples were properly preserved, and the samples were analyzed within the technical holding time [14 days from sample collection], no qualification of the data is necessary.

c. If there is no evidence that the samples were properly preserved, and the samples were analyzed outside of the technical holding time [14 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as unusable (R).

d. If the samples were properly preserved, but were analyzed outside of the technical holding time [14 days from sample collection], qualify detects as estimated (J) and non-detects as unusable (R).

Qualify TCLP/SPLP samples

a. If the TCLP/SPLP ZHE procedure is performed within the extraction technical holding time of 14 days, detects and non-detects should not be qualified.

b. If the TCLP/SPLP ZHE procedure is performed outside the extraction technical holding time of 14 days, qualify detects as estimated (J) and non-detects as unusable (R).

c. If TCLP/SPLP aqueous samples and TCLP/SPLP leachate samples are analyzed within the technical holding time of 7 days, detects and non-detects should not be qualified.

d. If TCLP/SPLP aqueous samples and TCLP/SPLP leachate samples are analyzed outside of the technical holding time of 7 days, qualify detects as estimated (J) and non-detects as unusable (R).

Table 1. Holding Time Actions for Low/Medium Volatile Analyses - Summary

Matrix	Preserved	Criteria	Action	
			Detected Associated Compounds	Non-Detected Associated Compounds
Aqueous	No	≤ 7 days	No qualification	
	No	> 7 days	J	R
	Yes	≤ 14 days	No qualification	
	Yes	> 14 days	J	R
Non-Aqueous	No	≤ 14 days	J	Professional judgment, UJ or R
	Yes	≤ 14 days	No qualification	
	Yes/No	> 14 days	J	R
TCLP/SPLP	Yes	≤ 14 days	No qualification	
TCLP/SPLP	No	> 14 days	J	R
TCLP/SPLP	ZHE performed within the 14-day technical holding time		No qualification	
TCLP/SPLP	ZHE performed outside the 14-day technical holding time		J	R
TCLP/SPLP aqueous & TCLP/SPLP leachate	Analyzed within 7 days		No qualification	
TCLP/SPLP aqueous & TCLP/SPLP leachate	Analyzed outside 7 days		J	R
Sample temperature outside 4°C ± 2°C upon receipt at the laboratory			Use professional judgment	
Holding times grossly exceeded			J	R

All criteria were met __X__
Criteria were not met see below ____

GC/MS TUNING

The assessment of the tuning results is to determine if the sample instrumentation is within the standard tuning QC limits

__X___ The BFB performance results were reviewed and found to be within the specified criteria.

__X___ BFB tuning was performed for every 12 hours of sample analysis.

NOTES: All mass spectrometer instrument conditions must be identical to those used during the sample analysis. Background subtraction actions resulting in spectral distortions for the sole purpose of meeting the method specifications are contrary to the Quality Assurance (QA) objectives, and are therefore unacceptable.

NOTES: No data should be qualified based on BFB failure. Instances of this should be noted in the narrative.

All ion abundance ratios must be normalized to m/z 95, the nominal base peak, even though the ion abundance of m/z 174 may be up to 120% that of m/z 95.

Actions:

If samples are analyzed without a preceding valid instrument performance check, qualify all data in those samples as unusable (R).

If ion abundance criteria are not met, professional judgment may be applied to determine to what extent the data may be utilized. When applying professional judgment to this topic, the most important factors to consider are the empirical results that are relatively insensitive to location on the chromatographic profile and the type of instrumentation. Therefore, the critical ion abundance criteria for BFB are the m/z 95/96, 174/175, 174/176, and 176/177 ratios. The relative abundances of m/z 50 and 75 are of lower importance. This issue is more critical for Tentatively Identified Compounds (TICs) than for target analytes.

Note: State in the Data Review Narrative, decisions to use analytical data associated with BFB instrument performance checks not meeting contract requirements.

Note: Verify that that instrument instrument performance check criteria were achieved using techniques described in Low/Medium Volatiles Organic Analysis, Section II.D.5 of the SOM02.2 NFG, obtain additional information on the instrument performance checks. Make sure that background subtraction was performed from the BFB peak and not from background subtracting from the solvent front or from another region of the chromatogram.

Use professional judgment to determine whether associated data should be qualified based on the spectrum of the mass calibration compound.

List the samples affected:

If mass calibration is in error, all associated data are rejected.

All criteria were met __X__
Criteria were not met
and/or see below _____

CALIBRATION VERIFICATION

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing and maintaining acceptable quantitative data.

Date of initial calibration:_____05/27/16_____	___05/24/16_____
Dates of continuing (initial) calibration:__05/27/16__	___05/24/16_____
Dates of continuing calibration:_____-_____	___05/28/16;_05/31/16_____
Dates of ending calibration:_____05/27/16_____	___05/28/16;_05/31/16_____
Instrument ID numbers:_____GCMSY_____	___GCMSJ_____
Matrix/Level:_____Aqueous/low_____	___Aqueous/low_____

DATE	LAB FILE ID#	CRITERIA OUT RFs, %RSD, %D, r	COMPOUND	SAMPLES AFFECTED
GCMSY				
05/27/16	ICV1168-4	-22.4	Acetone*	None
GCMSJ				
05/31/16	cc5312-5	20.3	Vinyl chloride^	None

Note: Initial calibration, initial calibration verification, and continuing calibration verification within the validation guidance document required criteria. Closing calibration check verification included in data package.

*Acetone ICV was outside the method performance criteria but within guidance document validation criteria ± 40 % difference. No action taken.

^Vinyl chloride continuing calibration % difference outside the method performance criteria but within the guidance document validation criteria of ± 25 % difference. No action taken.

Criteria

The analyte calibration criteria in the following Table must be obtained. Analytes not meeting the criteria are qualified.

A separate worksheet should be filled for each initial curve

Initial Calibration - **Table 2. RRF, %RSD, and %D Acceptance Criteria for Initial Calibration and CCV for Low/Medium Volatile Analysis**

Analyte	Minimum RRF	Maximum %RSD	Opening Maximum %D[1]	Closing Maximum %D
Dichlorodifluoromethane	0.010	25.0	±40.0	±50.0
Chloromethane	0.010	20.0	±30.0	±50.0
Vinyl chloride	0.010	20.0	±25.0	±50.0
Bromomethane	0.010	40.0	±30.0	±50.0
Chloroethane	0.010	40.0	±25.0	±50.0
Trichlorofluoromethane	0.010	40.0	±30.0	±50.0
1,1-Dichloroethene	0.060	20.0	±20.0	±25.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.050	25.0	±25.0	±50.0
Acetone	0.010	40.0	±40.0	±50.0
Carbon disulfide	0.100	20.0	±25.0	±25.0
Methyl acetate	0.010	40.0	±40.0	±50.0
Methylene chloride	0.010	40.0	±30.0	±50.0
trans-1,2-Dichloroethene	0.100	20.0	±20.0	±25.0
Methyl tert-butyl ether	0.100	40.0	±25.0	±50.0
1,1-Dichloroethane	0.300	20.0	±20.0	±25.0
cis-1,2-Dichloroethene	0.200	20.0	±20.0	±25.0
2-Butanone	0.010	40.0	±40.0	±50.0
Bromochloromethane	0.100	20.0	±20.0	±25.0
Chloroform	0.300	20.0	±20.0	±25.0
1,1,1-Trichloroethane	0.050	20.0	±25.0	±25.0
Cyclohexane	0.010	40.0	±25.0	±50.0
Carbon tetrachloride	0.100	20.0	±25.0	±25.0
Benzene	0.200	20.0	±20.0	±25.0
1,2-Dichloroethane	0.070	20.0	±20.0	±25.0
Trichloroethene	0.200	20.0	±20.0	±25.0
Methylcyclohexane	0.050	40.0	±25.0	±50.0
1,2-Dichloropropane	0.200	20.0	±20.0	±25.0
Bromodichloromethane	0.300	20.0	±20.0	±25.0
cis-1,3-Dichloropropene	0.300	20.0	±20.0	±25.0
4-Methyl-2-pentanone	0.030	25.0	±30.0	±50.0
Toluene	0.300	20.0	±20.0	±25.0
trans-1,3-Dichloropropene	0.200	20.0	±20.0	±25.0
1,1,2-Trichloroethane	0.200	20.0	±20.0	±25.0
Tetrachloroethene	0.100	20.0	±20.0	±25.0
2-Hexanone	0.010	40.0	±40.0	±50.0
Dibromochloromethane	0.200	20.0	±20.0	±25.0
1,2-Dibromoethane	0.200	20.0	±20.0	±25.0
Chlorobenzene	0.400	20.0	±20.0	±25.0
Ethylbenzene	0.400	20.0	±20.0	±25.0

Analyte	Minimum RRF	Maximum %RSD	Opening Maximum %D[1]	Closing Maximum
m,p-Xylene	0.200	20.0	±20.0	±25.0
o-Xylene	0.200	20.0	±20.0	±25.0
Styrene	0.200	20.0	±20.0	±25.0
Bromoform	0.100	20.0	±25.0	±50.0
Isopropylbenzene	0.400	20.0	±25.0	±25.0
1,1,2,2-Tetrachloroethane	0.200	20.0	±25.0	±25.0
1,3-Dichlorobenzene	0.500	20.0	±20.0	±25.0
1,4-Dichlorobenzene	0.600	20.0	±20.0	±25.0
1,2-Dichlorobenzene	0.600	20.0	±20.0	±25.0
1,2-Dibromo-3-chloropropane	0.010	25.0	±30.0	±50.0
1,2,4-Trichlorobenzene	0.400	20.0	±30.0	±50.0
1,2,3-Trichlorobenzene	0.400	25.0	±30.0	±50.0
Deuterated Monitoring Compound				
Vinyl chloride-d_3	0.010	20.0	±30.0	±50.0
Chloroethane-d_5	0.010	40.0	±30.0	±50.0
1,1-Dichloroethene-d_2	0.050	20.0	±25.0	±25.0
2-Butanone-d_5	0.010	40.0	±40.0	±50.0
Chloroform-d	0.300	20.0	±20.0	±25.0
1,2-Dichloroethane-d_4	0.060	20.0	±25.0	±25.0
Benzene-d_6	0.300	20.0	±20.0	±25.0
1,2-Dichloropropane-d_6	0.200	20.0	±20.0	±25.0
Toluene-d_8	0.300	20.0	±20.0	±25.0
trans-1,3-Dichloropropene-d_4	0.200	20.0	±20.0	±25.0
2-Hexanone-d_5	0.010	40.0	±40.0	±50.0
1,1,2,2-Tetrachloroethane-d_2	0.200	20.0	±25.0	±25.0
1,2-Dichlorobenzene-d_4	0.400	20.0	±20.0	±25.0

[1] If a closing CCV is acting as an opening CCV, all target analytes and DMCs must meet the requirements for an opening CCV.

Actions:

1. If any volatile target compound has an RRF value less than the minimum in the table, use professional judgment for detects, based on mass spectral identification, to qualify the data as estimated (J+ or R).
   a. If any volatile target compound has an RRF value less than the minimum criterion, qualify non-detected compounds as unusable (R).
   b. If any of the volatile target compounds listed in the Table has %RSD greater than the criteria, qualify detects as estimated (J), and non-detected compounds using professional judgment.
   c. If the volatile target compounds meet the acceptance criteria for RRF and the %RSD, no qualification of the data is necessary.

d. No qualification of the data is necessary on the DMC RRF and %RSD data alone. Use professional judgment and follow the guidelines in Action 2 to evaluate the DMC RRF and %RSD data in conjunction with the DMC recoveries to determine the need for qualification of data.

2. At the reviewer's discretion, and based on the project-specific Data Quality Objectives (DQOs), a more in-depth review may be considered using the following guidelines:

a. If any volatile target compound has a %RSD greater than the maximum criterion in the Table, and if eliminating either the high or the low-point of the curve does not restore the %RSD to less than or equal to the required maximum:
   i. Qualify detects for that compound(s) as estimated (J).
   ii. Qualify non-detected volatile target compounds using professional judgment.

b. If the high-point of the curve is outside of the linearity criteria (e.g., due to saturation):
   i. Qualify detects outside of the linear portion of the curve as estimated (J).
   ii. No qualifiers are required for detects in the linear portion of the curve.
   iii. No qualifiers are required for volatile target compounds that were not detected.

c. If the low-point of the curve is outside of the linearity criteria:
   i. Qualify low-level detects in the area of non-linearity as estimated (J).
   ii. No qualifiers are required for detects in the linear portion of the curve.
   iii. For non-detected volatile compounds, use the lowest point of the linear portion of the curve to determine the new quantitation limit.

Note: If the laboratory has failed to provide adequate calibration information, inform the Region's designated representative to contact the laboratory and request the necessary information. If the information is not available, the reviewer must use professional judgment to assess the data.

State in the Data Review Narrative, if possible, the potential effects on the data due to calibration criteria exceedance.

Note, for the Laboratory COR action, if calibration criteria are grossly exceeded.

Table. Initial Calibration Actions for Low/Medium Volatile Analysis – Summary

Criteria	Action	
	Detect	Non-detect
Initial Calibration not performed at specified frequency and sequence	Use professional judgment R	Use professional judgment R
Initial Calibration not performed at the specified concentrations	J	UJ
RRF < Minimum RRF in Table for target analyte	Use professional judgment J+ or R	R
RRF > Minimum RRF in Table for target analyte	No qualification	No qualification
%RSD > Maximum %RSD in Table for target analyte	J	Use professional judgment
%RSD ≤ Maximum %RSD in Table for target analyte	No qualification	No qualification

All criteria were met __X__
Criteria were not met and/or see below _____

Continuing Calibration Verification (CCV)

NOTE: Verify that the CCV was run at the required frequency (an opening and closing CCV must be run within 12-hour period) and the CCV was compared to the correct initial calibration. If the mid-point standard from the initial calibration is used as an opening CCV, verify that the result (RRF) of the mid-point standard was compared to the average RRF from the correct initial calibration.

The closing CCV used to bracket the end of a 12-hour analytical sequence may be used as the opening CCV for the new 12-hour analytical sequence, provided that all the technical acceptance criteria are met for an opening CCV (see criteria show before in the Table) . If the closing CCV does not meet the technical acceptance criteria for an opening CCV, then a BFB tune followed by an opening CCV is required and the next 12-hour time period begins with the BFB tune.

All DMCs must meet RRF criteria. No qualification of the data is necessary on the DMCs RRF and %RSD/%D data alone. However, use professional judgment to evaluate the DMC and %RSD/%D data in conjunction with the DMC recoveries to determine the need of qualification the data.

Action:

1. If a CCV (opening and closing) was not run at the appropriate frequency, qualify data using professional judgment.

2. Qualify all volatile target compounds in Table shown before using the following criteria:

   a. For an opening CCV, if any volatile target compound has an RRF value less than the minimum criterion, use professional judgment for detects, based on mass spectral identification, to qualify the data as estimated (J) and qualify non-detected compounds as unusable (R).
   b. For a closing CCV, if any volatile target compound has an RRF value less than the criteria, use professional judgment for detects based on mass spectral identification to qualify the data as estimated (J), and qualify non-detected compounds as unusable (R).
   c. For an opening CCV, if the Percent Difference value for any of the volatile target compounds is outside the limits in calibration criteria Table shown before, qualify detects as estimated (J) and non-detected compounds as estimated (UJ).
   d. For a closing CCV, if the Percent Difference value for any volatile target compound is outside the limits in calibration criteria table, qualify detects as estimated (J) and non-detected compounds as estimated (UJ).
   e. If the volatile target compounds meet the acceptable criteria for RRF and the Percent Difference, no qualification of the data is necessary.
   f. No qualification of the data is necessary on the DMC RRF and the Percent Difference data alone. Use professional judgment to evaluate the DMC RRF and Percent Difference data in conjunction with the DMC recoveries to determine the need for qualification of data.

Notes: If the laboratory has failed to provide adequate calibration information, inform the Region's designated representative to contact the laboratory and request the necessary information. If the information is not available, the reviewer must use professional judgment to assess the data.

State in the Data Review Narrative, if possible, the potential effects on the data due to calibration criteria exceedance.

Note, for Contract Laboratory COR action, if calibration criteria are grossly exceeded.

Table. Continuing Calibration Actions for Low/Medium Volatile Analysis – Summary

Criteria for Opening CCV	Criteria for Closing CCV	Action	
		Detect	Non-detect
CCV not performed at required frequency	CCV not performed at required frequency	Use professional judgment R	Use professional judgment R
CCV not performed at specified concentration	CCV not performed at specified concentration	Use professional judgment	Use professional judgment
RRF < Minimum RRF in Table 2 for target analyte	RRF < Minimum RRF in Table for target analyte	Use professional judgment J or R	R
RRF ≥ Minimum RRF in Table 2 for target analyte	RRF ≥ Minimum RRF in Table for target analyte	No qualification	No qualification
%D outside the Opening Maximum %D limits in Table 2 for target analyte	%D outside the Closing Maximum %D limits in Table for target analyte	J	UJ
%D within the inclusive Opening Maximum %D limits in Table 2 for target analyte	%D within the inclusive Closing Maximum %D limits in Table for target analyte	No qualification	No qualification

All criteria were met __X__
Criteria were not met
and/or see below _____

BLANK ANALYSIS RESULTS (Sections 1 & 2)

The assessment of the blank analysis results is to determine the existence and magnitude of contamination problems. The criteria for evaluation of blanks apply only to blanks associated with the samples, including trip, equipment, and laboratory blanks. If problems with any blanks exist, all data associated with the case must be carefully evaluated to determine whether or not there is an inherent variability in the data for the case, or if the problem is an isolated occurrence not affecting other data.

List the contamination in the blanks below. High and low levels blanks must be treated separately.

The concentration of a target analyte in any blank must not exceed its Contract Required Quantitation Limit (CRQL) (2x CRQLs for Methylene chloride, Acetone, and 2-Butanone). TIC concentration in any blanks must be ≤ 5.0 µg/L for water (0.0050 mg/L for TCLP leachate) and ≤ 5.0 µg/kg for soil matrices.

Laboratory blanks

The method blank, like any other sample in the SDG, must meet the technical acceptance criteria for sample analysis.

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
No_target_analyte_detected_in_method_blanks_except_in_the_cases_described_in_this_document.				
05/27/16	VY1168-MB	Soil/low	Methylene_chloride	4.4_ug/kg

Note: Methylene chloride detected in sample FA34301-1 at a concentration above the reporting limit. Laboratory qualified the results as (B), no further qualification performed. Methylene chloride detected in sample FA34301-2 at a concentration below the reporting limit. Laboratory qualified the results as (JB), no further qualification performed.

Field/Equipment/Trip blank

If field or trip blanks are present, the data reviewer should evaluate this data in a similar fashion as the method blanks.

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
No_target_analytes_detected_in_the_trip_blank. No_field/equipment_blanks_analyzed_with_this_data_package.				

All criteria were met _X_
Criteria were not met
and/or see below ____

BLANK ANALYSIS RESULTS (Section 3)

Blank Actions

Note: All fields blank results associated with a particular group of samples (may exceed one per case) must be used to qualify data. Trip blanks are used to qualify only those samples with which they were shipped. Blanks may not be qualified because of contamination in another blank. Field blanks and trip blanks must be qualified for system monitoring compounds, instrument performance criteria, and spectral or calibration QC problems.

Samples taken from a drinking water tap do not have associated field blanks.

When applied as described in the Table below, the contaminant concentration in the blank is multiplied by the sample dilution factor.

Table. Blank and TCLP/SPLP LEB Actions for Low/Medium Volatile Analysis

Blank Type	Blank Result	Sample Result	Action for Samples
Method, Storage, Field, Trip, TCLP/SPLP LEB, Instrument**	Detects	Not detected	No qualification required
	< CRQL *	< CRQL*	Report CRQL value with a U
		≥ CRQL*	No qualification required
	> CRQL *	< CRQL*	Report CRQL value with a U
		≥ CRQL* and ≤ blank concentration	Report blank value for sample concentration with a U
		≥ CRQL* and > blank concentration	No qualification required
	= CRQL*	≤ CRQL*	Report CRQL value with a U
		> CRQL*	No qualification required
	Gross contamination	Detects	Report blank value for sample concentration with a U

* 2x the CRQL for methylene chloride, 2-butanone and acetone.
** Qualifications based on instrument blank results affect only the sample analyzed immediately after the sample that has target compounds that exceed the calibration range or non-target compounds that exceed 100 µg/L.

Action Levels (ALs) should be based upon the highest concentration of contaminant determined in any blank. Do not qualify any blank with another blank. The ALs for samples which have been diluted should be corrected for the sample dilution factor and/or % moisture, where applicable. No positive sample results should be reported unless the concentration of the compound in the samples exceeds the ALs:

Notes:

High and low level blanks must be treated separately
Compounds qualified "U" for blank contamination are still considered "hits" when qualifying for calibration criteria.

CONTAMINATION SOURCE/LEVEL	COMPOUND	CONC/UNITS	AL/UNITS	SQL	AFFECTED SAMPLES

All criteria were met __X__
Criteria were not met
and/or see below ____

DEUTERATED MONITORING COMPOUNDS (DMCs)

Laboratory performance of individual samples is established by evaluation of surrogate spike (DMCs) recoveries. All samples are spiked with surrogate compounds prior to sample analysis. The accuracy of the analysis is measured by the surrogate percent recovery. Since the effects of the sample matrix are frequently outside the control of the laboratory and may present relatively unique problems, the validation of data is frequently subjective and demands analytical experience and professional judgment.

Table. Volatile Deuterated Monitoring Compounds (DMCs) and Recovery Limits

DMC	%R for Water Sample	%R for Soil Sample
Vinyl chloride-d3	60-135	30-150
Chloroethane-d5	70-130	30-150
1,1-Dichloroethene-d2	60-125	45-110
2-Butanone-d5	40-130	20-135
Chloroform-d	70-125	40-150
1,2-Dichloroethane-d4	70-125	70-130
Benzene-d6	70-125	20-135
1,2-Dichloropropane-d6	70-120	70-120
Toluene-d8	80-120	30-130
trans-1,3-Dichloropropene-d4	60-125	30-135
2-Hexanone-d5	45-130	20-135
1,1,2,2-Tetrachloroethane-d2	65-120	45-120
1,2-Dichlorobenzene-d4	80-120	75-120

NOTE: The recovery limits for any of the compounds listed in the above Table may be expanded at any time during the period of performance if the United States Environmental Protection Agency (EPA) determines that the limits are too restrictive.

Action:

Are recoveries for DMCs in volatile samples and blanks must be within the limits specified in the Table above. **Yes**? or No?

NOTE: The recovery limits for any of the compounds listed in the Table above may be expanded at any time during the period of performance if USEPA determines that the limits are too restrictive.

List the DMCs that may fail to meet the recovery limits

Sample ID Date DMCs % Recovery Action

DMCs recoveries within the required. Other non-deuterated surrogates added to the samples within laboratory control limits.

Note: Any sample which has more than 3 DMCs outside the limits must be reanalyzed.

Action:

1. For any recovery greater than the upper acceptance limit:
   a. Qualify detected associated volatile target compounds as estimated high (J+).
   b. Do not qualify non-detected associated volatile target compounds.
2. For any recovery greater than or equal to 10%, and less than the lower acceptance limit:
   a. Qualify detected associated volatile target compounds as estimated low (J-).
   b. Qualify non-detected associated volatile target compounds as estimated (UJ).
3. For any recovery less than 10%:
   a. Qualify detected associated volatile target compounds as estimated low (J-).
   b. Qualify non-detected associated volatile target compounds as unusable (R).
4. For any recovery within acceptance limits, no qualification of the data is necessary.
5. In the special case of a blank analysis having DMCs out of specification, the reviewer must give special consideration to the validity of associated sample data. The basic concern is whether the blank problems represent an isolated problem with the blank alone, or whether there is a fundamental problem with the analytical process. For example, if one or more samples in the batch show acceptable DMC recoveries, the reviewer may choose to consider the blank problem to be an isolated occurrence. However, even if this judgment allows some use of the affected data, note analytical problems for Contract Laboratory COR action.
6. If more than three DMCs are outside of the recovery limits for Low/Medium volatiles analysis and the sample was not reanalyzed, note under Contract Problems/Non-Compliance.

Table. Deuterated Monitoring Compound (DMC) Recovery Actions for Low/Medium Volatiles Analyses – Summary

Criteria	Action	
	Detect Associated Compounds	Non-detected Associated Compounds
%R < 10%	J-	R
10% ≤ %R < Lower Acceptance Limit	J-	UJ
Lower Acceptance Limit ≤ %R ≤ Upper Acceptance Limit	No qualification	No qualification
%R > Upper Acceptance Limit	J+	No qualification

TABLE. VOLATILE DEUTERATED MONITORING COMPOUNDS (DMCs) AND THE ASSOCIATED TARGET COMPOUNDS

Vinyl chloride-d_3 (DMC-1)	**Chloroethane-d_5 (DMC-2)**	**1,1-Dichloroethene-d_2 (DMC-3)**
Vinyl chloride	Dichlorodifluoromethane Chloromethane Bromomethane Chloroethane Carbon disulfide	trans-1,2-Dichloroethene cis-1,2-Dichloroethene 1,1-Dichloroethene
2-Butanone-d_5 (DMC-4)	**Chloroform-d (DMC-5)**	**1,2-Dichloroethane-d_4 (DMC-6)**
Acetone 2-Butanone	1,1-Dichloroethane Bromochloromethane Chloroform Dibromochloromethane Bromoform	Trichlorofluoromethane 1,1,2-Trichloro-1,2,2-trifluoroethane Methyl acetate Methylene chloride Methyl-tert-butyl ether 1,1,1-Trichloroethane Carbon tetrachloride 1,2-Dibromoethane 1,2-Dichloroethane
Benzene-d_6 (DMC-7)	**1,2-Dichloropropane-d_6 (DMC-8)**	**Toluene-d_8 (DMC-9)**
Benzene	Cyclohexane Methylcyclohexane 1,2-Dichloropropane Bromodichloromethane	Trichloroethene Toluene Tetrachloroethene Ethylbenzene o-Xylene m,p-Xylene Styrene Isopropylbenzene
trans-1,3-Dichloropropene-d_4 (DMC-10)	**2-Hexanone-d_5 (DMC-11)**	**1,1,2,2-Tetrachloroethane-d_2 (DMC-12)**
cis-1,3-Dichloropropene trans-1,3-Dichloropropene 1,1,2-Trichloroethane	4-Methyl-2-pentanone 2-Hexanone	1,1,2,2,-Tetrachloroethane 1,2-Dibromo-3-chloropropane
1,2-Dichlorobenzene-d_4 (DMC-13)		
Chlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichlorobenzene 1,2,4-Trichlorobenzene 1,2,3-Trichlorobenzene		

All criteria were met _____
Criteria were not met
and/or see below __X__

MATRIX SPIKE/MATRIX SPIKE DUPLICATE (MS/MSD)

This data is generated to determine long term precision and accuracy in the analytical method for various matrices. This data alone cannot be used to evaluate the precision and accuracy of individual samples. If any % R in the MS or MSD falls outside the designated range, the reviewer should determine if there are matrix effects, i.e. LCS data are within the QC limits but MS/MSD data are outside QC limit.

NOTES: Data for MS and MSDs will not be present unless requested by the Region. Notify the Contract Laboratory COR if a field or trip blank was used for the MS and MSD.

For a Matrix Spike that does not meet criteria, apply the action to only the field sample used to prepare the Matrix Spike sample. If it is clearly stated in the data validation materials that the samples were taken through incremental sampling or some other method guaranteeing the homogeneity of the sample group, then the entire sample group may be qualified.

1. MS/MSD Recoveries and Precision Criteria

The laboratory should use one MS and a duplicate analysis of an unspiked field sample if target analytes are expected in the sample. If target analytes are not expected, MS/MSD should be analyzed.

List the %Rs, RPD of the compounds which do not meet the criteria.

Sample ID:_ FA34301-1MS/1MSD_____ Matrix/Level:_____Soil_____
Sample ID:_ FA34301-3MS/1MSD_____ Matrix/Level:_____Aqueous_____

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

The QC reported here applies to the following samples: Method: SW846 8260C
FA34301-4, FA34301-5, FA34301-6, FA34301-7

Compound	FA34301-1 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
Acetone	15.0	J	288	151	47*	291	170	53*	12	61-152/27
2-Butanone (MEK)	ND		288	200	69*	291	208	71*	4	75-137/25
Carbon Disulfide	ND		57.6	43.5	75	58.3	41.6	71*	4	72-122/29
Carbon Tetrachloride	ND		57.6	45.3	79	58.3	41.7	72*	8	78-133/29
Chloroform	ND		57.6	45.5	79	58.3	40.8	70*	11	72-123/26
Cyclohexane	ND		57.6	48.1	83	58.3	42.2	72*	13	73-126/32
1,3-Dichlorobenzene	ND		57.6	53.9	94	58.3	46.7	80*	14	81-129/33
1,1-Dichloroethylene	ND		57.6	44.8	78*	58.3	41.9	72*	7	81-136/28
Freon 113	ND		57.6	40.9	71	58.3	38.2	66*	7	71-129/30
Methylcyclohexane	ND		57.6	47.2	82	58.3	43.4	74*	8	75-128/31
Methylene Chloride	16.4	B	57.6	56.0	69*	58.3	50.6	59*	10	74-137/28

Note: Results qualified in sample FA34301-1, analytes below the lower control limits qualified J or UJ. Professional judgment.

* QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
* If QC limits are not available, use limits of 70 – 130 %.

Actions:

1. No qualification of the data is necessary on MS and MSD data alone. However, using professional judgment, the validator may use the MS and MSD results in conjunction with other QC criteria and determine the need for some qualification of the data.

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

MS/MSD criteria apply only to the unspiked sample, its dilutions, and the associated MS/MSD samples:

If the % R for the affected compounds were < LL (or 70 %), qualify positive results (J) and nondetects (UJ).
If the % R for the affected compounds were > UL (or 130 %), only qualify positive results (J).
If 25 % or more of all MS/MSD %R were < LL (or 70 %) or if two or more MS/MSD %Rs were < 10%, qualify all positive results (J) and reject nondetects (R).

A separate worksheet should be used for each MS/MSD pair.

All criteria were met __X__
Criteria were not met
and/or see below _____

LABORATORY CONTROL SAMPLE (LCS) ANALYSIS

This data is generated to determine accuracy of the analytical method for various matrices.

1. LCS Recoveries Criteria

Where LCS spiked with the same analyte at the same concentrations as the MS/MSD? Yes or No. If no make note in data review memo.

List the %R of compounds which do not meet the criteria

LCS ID COMPOUND % R QC LIMIT

___Recoveries_(blank_spike)_within_laboratory_control_limits._____
_____
_____
_____
_____
_____
_____
_____

* QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
* If QC limits are not available, use limits of 70 – 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

All analytes in the associated sample results are qualified for the following criteria.

If 25 % of the LCS recoveries were < LL (or 70 %), qualify all positive results (j) and reject nondetects (R).

If two or more LCS were below 10 %, qualify all positive results as (J) and reject nondetects (R).

2. Frequency Criteria:

Where LCS analyzed at the required frequency and for each matrix? Yes or No.
If no, the data may be affected. Use professional judgment to determine the severity of the effect and qualify data accordingly. Discuss any actions below and list the samples affected.

All criteria were met ___N/A___
Criteria were not met
and/or see below _____

IX. FIELD/LABORATORY DUPLICATE PRECISION

Sample IDs: _____-_____ Matrix:_____-_____

Field/laboratory duplicates samples may be taken and analyzed as an indication of overall precision. These analyses measure both field and lab precision; therefore, the results may have more variability than laboratory duplicates which only laboratory performance. It is also expected that soil duplicate results will have a greater variance than water matrices due to difficulties associated with collecting identical field duplicate samples.

The project QAPP should be reviewed for project-specific information.

> **NOTE:** In the absence of QAPP guidance for validating data from field duplicates, the following action will be taken.

Identify which samples within the data package are field duplicates. Estimate the relative percent difference (RPD) between the values for each compound. Use professional judgment to note large RPDs (> 50%) in the narrative.

COMPOUND	SQL	SAMPLE CONC.	DUPLICATE CONC.	RPD	ACTION
No field/laboratory duplicate analyzed with this data package. MS/MSD % recoveries RPD used to assess precision. RPD within required criteria, < 50 % for target analytes detected in sample and duplicate.					

Actions:

Qualify as estimated positive results (J) and nondetects (UJ) for the compound that exceeded the above criteria. For organics, only the sample and duplicate will be qualified.

If an RPD cannot be calculated because one or both of the sample results is not detected, the following actions are suggested based on professional judgment:

If one sample result is not detected and the other is greater than 5x the SQL qualify (J/UJ).

If one sample value is not detected and the other is greater than 5x the SQL and the SQLs for the sample and duplicate are significantly different, use professional judgment to determine if qualification is appropriate.

If one sample value is not detected and the other is less than 5x, use professional judgment to determine if qualification is appropriate.

If both sample and duplicate results are not detected, no action is needed.

All criteria were met __X__
Criteria were not met
and/or see below _____

X. INTERNAL STANDARD PERFORMANCE

The assessment of the internal standard (IS) parameter is used to assist the data reviewer in determining the condition of the analytical instrumentation.

DATE	SAMPLE ID	IS OUT	IS AREA	ACCEPTABLE RANGE	ACTION

Internal standard area counts within the required criteria.

Action:

1. If an internal standard area count for a sample or blank is greater than 200.0% of the area for the associated standard (opening CCV or mid-point standard from initial calibration) (see Table below):
   a. Qualify detects for compounds quantitated using that internal standard as estimated low (J-).
   b. Do not qualify non-detected associated compounds.
2. If an internal standard area count for a sample or blank is less than 20.0% of the area for the associated standard (opening CCV or mid-point standard from initial calibration):
   a. Qualify detects for compounds quantitated using that internal standard as estimated high (J+).
   b. Qualify non-detected associated compounds as unusable (R).
3. If an internal standard area count for a sample or blank is greater than or equal to 20.0%, and less than or equal to 200% of the area for the associated standard opening CCV or mid-point standard from initial calibration, no qualification of the data is necessary.
4. If an internal standard RT varies by more than 30.0 seconds: Examine the chromatographic profile for that sample to determine if any false positives or negatives exist. For shifts of a large magnitude, the reviewer may consider partial or total rejection of the data for that sample fraction. Detects should not need to be qualified as unusable (R) if the mass spectral criteria are met.
5. If an internal standard RT varies by less than or equal to 30.0 seconds, no qualification of the data is necessary.

Note: Inform the Contract Laboratory Program Project Officer (CLP PO) if the internal standard performance criteria are grossly exceeded. Note in the Data Review Narrative potential effects on the data resulting from unacceptable internal standard performance.

6. If required internal standard compounds are not added to a sample or blank, qualify detects and non-detects as unusable (R).
7. If the required internal standard compound is not analyzed at the specified concentration in a sample or blank, use professional judgment to qualify detects and non-detects.

Table. Internal Standard Actions for Low/Medium Volatiles Analyses - Summary

Criteria	Action	
	Detected Associated Compounds*	Non-detected Associated Compounds*
Area counts > 200% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	J-	No qualification
Area counts < 20% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	J+	R
Area counts ≥ 50% but ≤ 200% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	No qualification	
RT difference > 30.0 seconds between samples and 12-hour standard (opening CCV or mid-point standard from initial calibration)	R **	R
RT difference ≤ 30.0 seconds between samples and 12-hour standard (opening CCV or mid-point standard from initial calibration)	No qualification	

* For volatile compounds associated to each internal standard, see TABLE - VOLATILE TARGET ANALYTES, DEUTERATED MONITORING COMPOUNDS WITH ASSOCIATED INTERNAL STANDARDS FOR QUANTITATION in SOM02.2, Exhibit D, available at: http://www.epa.gov/superfund/programs/clp/download/som/som22d.pdf
** Detects should not need to be qualified as unusable (R) if the mass spectral criteria are met.

All criteria were met _X_
Criteria were not met
and/or see below ____

TARGET COMPOUND IDENTIFICATION

Criteria:

Is the Relative Retention Times (RRTs) of reported compounds within ±0.06 RRT units of the standard RRT [opening Continuing Calibration Verification (CCV) or mid-point standard from the initial calibration].
Yes? or No?

List compounds not meeting the criteria described above:

Sample ID	Compounds	Actions

Mass spectra of the sample compound and a current laboratory-generated standard [i.e., the mass spectrum from the associated calibration standard (opening CCV or mid-point standard from initial calibration)] must match according to the following criteria:

a. All ions present in the standard mass spectrum at a relative intensity greater than 10% must be present in the sample spectrum.
b. The relative intensities of these ions must agree within ±20% between the standard and sample spectra (e.g., for an ion with an abundance of 50% in the standard spectrum, the corresponding sample ion abundance must be between 30-70%).
c. Ions present at greater than 10% in the sample mass spectrum, but not present in the standard spectrum, must be evaluated by a reviewer experienced in mass spectral interpretation.

List compounds not meeting the criteria described above:

Sample ID	Compounds	Actions

Action:

1. The application of qualitative criteria for GC/MS analysis of target compounds requires professional judgment. It is up to the reviewer's discretion to obtain additional information from the laboratory. If it is determined that incorrect identifications were made, qualify all such data as unusable (R).

2. Use professional judgment to qualify the data if it is determined that cross-contamination has occurred.

3. Note in the Data Review Narrative any changes made to the reported compounds or concerns regarding target compound identifications. Note, for Contract Laboratory COR action, the necessity for numerous or significant changes.

TENTATIVELY IDENTIFIED COMPOUNDS (TICS)

NOTE: Tentatively identified compounds should only be evaluated when requested by a party from outside of the Hazardous Waste Support Section (HWSS).

List TICs

Sample ID	Compound	Sample ID	Compound

Action:

1. Qualify all TIC results for which there is presumptive evidence of a match (e.g. greater than or equal to 85% match) as tentatively identified (NJ), with approximated concentrations. TICs labeled "unknown" are qualified as estimated (J).
2. General actions related to the review of TIC results are as follows:
   a. If it is determined that a tentative identification of a non-target compound is unacceptable, change the tentative identification to "unknown" or another appropriate identification, and qualify the result as estimated (J).
   b. If all contractually-required peaks were not library searched and quantitated, the Region's designated representative may request these data from the laboratory.
3. In deciding whether a library search result for a TIC represents a reasonable identification, use professional judgment. If there is more than one possible match, report the result as "either compound X or compound Y". If there is a lack of isomer specificity, change the TIC result to a nonspecific isomer result (e.g., 1,3,5-trimethyl benzene to trimethyl benzene isomer) or to a compound class (e.g., 2-methyl, 3-ethyl benzene to a substituted aromatic compound).

4. The reviewer may elect to report all similar compounds as a total (e.g., all alkanes may be summarized and reported as total hydrocarbons).
5. Target compounds from other fractions and suspected laboratory contaminants should be marked as "non-reportable".
6. Other Case factors may influence TIC judgments. If a sample TIC match is poor, but other samples have a TIC with a valid library match, similar RRT, and the same ions, infer identification information from the other sample TIC results.
7. Note in the Data Review Narrative any changes made to the reported data or any concerns regarding TIC identifications.
8. Note, for Contract Laboratory COR action, failure to properly evaluate and report TICs

All criteria were met _X_
Criteria were not met
and/or see below ____

SAMPLE QUANTITATION AND REPORTED CONTRACT REQUIRED QUANTITATION LIMITS (CRQLS)

Action:

1. If any discrepancies are found, the Region's designated representative may contact the laboratory to obtain additional information that could resolve any differences. If a discrepancy remains unresolved, the reviewer must use professional judgment to decide which value is the most accurate. Under these circumstances, the reviewer may determine that qualification of data is warranted. Note in the Data Review Narrative a description of the reasons for data qualification and the qualification that is applied to the data.
2. For non-aqueous samples, in the percent moisture is less than 70.0%, no qualification of the data is necessary. If the percent moisture is greater than or equal to 70.0% and less than 90.0%, qualify detects as estimated (J) and non-detects as approximated (UJ). If the percent moisture is greater than or equal to 90.0%, qualify detects as estimated (J) and non-detects as unusable (R) (see Table below).
3. Note, for Contract Laboratory COR action, numerous or significant failures to accurately quantify the target compounds or to properly evaluate and adjust CRQLs.
4. Results between MDL and CRQL should be qualified as estimated "J".
5. Results < MDL should be reported at the CRQL and qualified "U". MDLs themselves are not reported.

Table. Percent Moisture Actions for Low/Medium Volatiles Analysis for Non-Aqueous Samples

Criteria	Action	
	Detected Associated Compounds	**Non-detected Associated Compounds**
% Moisture < 70.0	No qualification	
70.0 < % Moisture < 90.0	J	UJ
% Moisture > 90.0	J	R

The sample quantitation evaluation is to verify laboratory quantitation results. In the space below, please show a minimum of one sample calculation:

Sample ID

FA34301-1 MTBE RF = 1.020

[ ] = (52872)(50)/(1.020)(1120223) = 2.31 ppb Ok

All criteria were met __X__
Criteria were not met
and/or see below ____

B. Percent Solids

List samples which have ≥ 70 % solids

QUANTITATION LIMITS

A. Dilution performed

SAMPLE ID	DILUTION FACTOR	REASON FOR DILUTION
FA34301-3	20 X	Tert-Butyl Alcohol over calibration range

All criteria were met _X_
Criteria were not met
and/or see below ____

OTHER ISSUES

A. System Performance

List samples qualified based on the degradation of system performance during simple analysis:

Sample ID	Comments	Actions
_No_degradation_of_system_performance_observed.		

Action:

Use professional judgment to qualify the data if it is determined that system performance has degraded during sample analyses. Inform the Contract Laboratory Program COR any action as a result of degradation of system performance which significantly affected the data.

B. Overall Assessment of Data

List samples qualified based on other issues:

Sample ID	Comments	Actions
_No_additional_issues_observed_that_require_qualification_of_the_data._Results_are_valid_and__can_ _be_used_for_decission_purposes._____		

Action:

1. Use professional judgment to determine if there is any need to qualify data which were not qualified based on the Quality Control (QC) criteria previously discussed.
2. Write a brief narrative to give the user an indication of the analytical limitations of the data. Inform the Contract Laboratory COR the action, any inconsistency of the data with the Sample Delivery Group (SDG) Narrative. If sufficient information on the intended use and required quality of the data is available, the reviewer should include their assessment of the usability of the data within the given context. This may be used as part of a formal Data Quality Assessment (DQA).

EXECUTIVE NARRATIVE

SDG No:	**FA34302**	Laboratory:	**Accutest, Florida**
Analysis:	**SW846-8260C**	Number of Samples:	**11**
Location:	BMSMC – Building 5 Area Humacao, PR		

SUMMARY: Eleven (11) samples were analyzed for volatile organic compounds (VOCs) by method SW846-8260C. The sample results were assessed according to USEPA data validation guidance documents in the following order of precedence: USEPA Hazardous Waste Support Section SOP No. HW-33A Revision 0 SOM02.2. Low/Medium Volatile Data Validation. July, 2015. The QC criteria and data validation actions listed on the data review worksheets are from the primary guidance document, unless otherwise noted. Results are valid and can be used for decision making purposes.

Critical issues: **None**
Major: **None**
Minor: **None**

Critical findings: **None**
Major findings: **None**
Minor findings:

1. Acetone initial calibration verification was outside the method performance criteria but within the guidance validation document criteria. No action taken.

2. Methylene chloride detected in method blank below the reporting limit. Methylene chloride detected in sample FA34302-7 at a concentration below the reporting limit. Laboratory qualified the result as (BJ), no further qualification performed.

Acetone and tert-butyl alcohol detected in sample FA34302-2 (equipment blank) at a concentration below the reporting limit. No action taken.

4. Several analytes recovered below the laboratory lower control limits but within generally acceptable control limits in sample FA34302-1MS/-1MSD (QC sample for the batch) but within generally acceptable control limits. No action taken, MS/MSD criteria apply to the unspiked sample.

COMMENTS: Results are valid and can be used for decision making purposes.

Reviewers Name: Rafael Infante
Chemist License 1888

Signature: Rafael Infante

Date: June 11, 2016

SAMPLE ORGANIC DATA SAMPLE SUMMARY

Sample ID: FA34302-1
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	1.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	0.35	ug/L	1.0	J	UJ	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	4.5	ug/L	1.0	-	-	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	UJ	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	24.8	ug/L	1.0	-	-	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	2.5	ug/L	1.0	J	UJ	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-2
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: AQ - Equipment blank

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	16.7	ug/L	1.0	J	UJ	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	1.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes

cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	16.5	ug/L	1.0	J	UJ	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-3
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: AQ - Equipment Blank

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	1.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes

cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-4
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	58	ug/kg	1.0	-	U	Yes
Benzene	5.8	ug/kg	1.0	-	U	Yes
Benzyl Chloride	5.8	ug/kg	1.0	-	U	Yes
Bromochloromethane	5.8	ug/kg	1.0	-	U	Yes
Bromodichloromethane	5.8	ug/kg	1.0	-	U	Yes
Bromoform	5.8	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	29	ug/kg	1.0	-	U	Yes
Carbon disulfide	5.8	ug/kg	1.0	-	U	Yes
Carbon tetrachloride	5.8	ug/kg	1.0	-	U	Yes
Chlorobenzene	5.8	ug/kg	1.0	-	U	Yes
Chloroethane	5.8	ug/kg	1.0	-	U	Yes
Chloroform	5.8	ug/kg	1.0	-	U	Yes
Cyclohexane	5.8	ug/kg	1.0	-	U	Yes
Dibromochloromethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	5.8	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,4-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes
cis-1,2-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes
trans-1,2-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes

1,2-Dichloropropane	5.8	ug/kg	1.0	-	U	Yes
cis-1,3-Dichloropropene	5.8	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	5.8	ug/kg	1.0	-	U	Yes
Ethylbenzene	5.8	ug/kg	1.0	-	U	Yes
Freon 113	5.8	ug/kg	1.0	-	U	Yes
2-Hexanone	29	ug/kg	1.0	-	U	Yes
Isopropylbenzene	5.8	ug/kg	1.0	-	U	Yes
p-Isopropyltoluene	5.8	ug/kg	1.0	-	U	Yes
Methyl Acetate	29	ug/kg	1.0	-	U	Yes
Methyl Bromide	5.8	ug/kg	1.0	-	U	Yes
Methyl Chloride	5.8	ug/kg	1.0	-	U	Yes
Methylcyclohexane	5.8	ug/kg	1.0	-	U	Yes
Methylene chloride	12	ug/kg	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	29	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	5.8	ug/kg	1.0	-	U	Yes
Styrene	5.8	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	58	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	58	ug/kg	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	5.8	ug/kg	1.0	-	U	Yes
Tetrachloroethene	5.8	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	12	ug/kg	1.0	-	U	Yes
Toluene	5.8	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	5.8	ug/kg	1.0	-	U	Yes
Trichloroethene	5.8	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	5.8	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	5.8	ug/kg	1.0	-	U	Yes
Vinyl chloride	5.8	ug/kg	1.0	-	U	Yes
m,p-Xylene	12	ug/kg	1.0	-	U	Yes
o-Xylene	5.8	ug/kg	1.0	-	U	Yes

Sample ID: FA34302-5
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	54	ug/kg	1.0	-	U	Yes
Benzene	5.4	ug/kg	1.0	-	U	Yes
Benzyl Chloride	5.4	ug/kg	1.0	-	U	Yes
Bromochloromethane	5.4	ug/kg	1.0	-	U	Yes
Bromodichloromethane	5.4	ug/kg	1.0	-	U	Yes
Bromoform	5.4	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	27	ug/kg	1.0	-	U	Yes
Carbon disulfide	5.4	ug/kg	1.0	-	U	Yes
Carbon tetrachloride	5.4	ug/kg	1.0	-	U	Yes
Chlorobenzene	5.4	ug/kg	1.0	-	U	Yes
Chloroethane	5.4	ug/kg	1.0	-	U	Yes
Chloroform	5.4	ug/kg	1.0	-	U	Yes
Cyclohexane	5.4	ug/kg	1.0	-	U	Yes
Dibromochloromethane	5.4	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.4	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	5.4	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	5.4	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	5.4	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	5.4	ug/kg	1.0	-	U	Yes
1,4-Dichlorobenzene	5.4	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	5.4	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	5.4	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	5.4	ug/kg	1.0	-	U	Yes
cis-1,2-Dichloroethene	5.4	ug/kg	1.0	-	U	Yes
trans-1,2-Dichloroethene	5.4	ug/kg	1.0	-	U	Yes

1,2-Dichloropropane	5.4	ug/kg	1.0	-	U	Yes
cis-1,3-Dichloropropene	5.4	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	5.4	ug/kg	1.0	-	U	Yes
Ethylbenzene	5.4	ug/kg	1.0	-	-	Yes
Freon 113	5.4	ug/kg	1.0	-	U	Yes
2-Hexanone	27	ug/kg	1.0	-	U	Yes
Isopropylbenzene	5.4	ug/kg	1.0	J	UJ	Yes
p-Isopropyltoluene	5.4	ug/kg	1.0	-	U	Yes
Methyl Acetate	27	ug/kg	1.0	-	U	Yes
Methyl Bromide	5.4	ug/kg	1.0	-	U	Yes
Methyl Chloride	5.4	ug/kg	1.0	-	U	Yes
Methylcyclohexane	5.4	ug/kg	1.0	-	U	Yes
Methylene chloride	11	ug/kg	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	27	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	5.4	ug/kg	1.0	-	U	Yes
Styrene	5.4	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	54	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	54	ug/kg	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	5.4	ug/kg	1.0	-	U	Yes
Tetrachloroethene	5.4	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	11	ug/kg	1.0	-	U	Yes
Toluene	5.4	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	5.4	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	5.4	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	5.4	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	5.4	ug/kg	1.0	-	U	Yes
Trichloroethene	5.4	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	5.4	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	5.4	ug/kg	1.0	-	U	Yes
Vinyl chloride	5.4	ug/kg	1.0	-	U	Yes
m,p-Xylene	11	ug/kg	1.0	-	-	Yes
o-Xylene	5.4	ug/kg	1.0	J	UJ	Yes

Sample ID: FA34302-6
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	3400	ug/kg	1.0	-	U	Yes
Benzene	340	ug/kg	1.0	-	U	Yes
Benzyl Chloride	340	ug/kg	1.0	-	U	Yes
Bromochloromethane	340	ug/kg	1.0	-	U	Yes
Bromodichloromethane	340	ug/kg	1.0	-	U	Yes
Bromoform	340	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	1700	ug/kg	1.0	-	U	Yes
Carbon disulfide	340	ug/kg	1.0	-	U	Yes
Carbon tetrachloride	340	ug/kg	1.0	-	U	Yes
Chlorobenzene	340	ug/kg	1.0	-	U	Yes
Chloroethane	340	ug/kg	1.0	-	U	Yes
Chloroform	340	ug/kg	1.0	-	U	Yes
Cyclohexane	340	ug/kg	1.0	-	U	Yes
Dibromochloromethane	340	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	340	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	340	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	340	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	340	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	340	ug/kg	1.0	-	U	Yes
1,4-Dichlorobenzene	340	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	340	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	340	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	340	ug/kg	1.0	-	U	Yes
cis-1,2-Dichloroethene	340	ug/kg	1.0	-	U	Yes
trans-1,2-Dichloroethene	340	ug/kg	1.0	-	U	Yes

1,2-Dichloropropane	340	ug/kg	1.0	-	U	Yes
cis-1,3-Dichloropropene	340	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	340	ug/kg	1.0	-	U	Yes
Ethylbenzene	340	ug/kg	1.0	-	U	Yes
Freon 113	340	ug/kg	1.0	-	U	Yes
2-Hexanone	1700	ug/kg	1.0	-	U	Yes
Isopropylbenzene	340	ug/kg	1.0	-	U	Yes
p-Isopropyltoluene	340	ug/kg	1.0	-	U	Yes
Methyl Acetate	1700	ug/kg	1.0	-	U	Yes
Methyl Bromide	340	ug/kg	1.0	-	U	Yes
Methyl Chloride	340	ug/kg	1.0	-	U	Yes
Methylcyclohexane	340	ug/kg	1.0	-	U	Yes
Methylene chloride	680	ug/kg	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	1700	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	340	ug/kg	1.0	-	U	Yes
Styrene	340	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	3400	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	3400	ug/kg	1.0	-	U	Yes
1,1,2,2-Tetrachloroethane	340	ug/kg	1.0	-	U	Yes
Tetrachloroethene	340	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	680	ug/kg	1.0	-	U	Yes
Toluene	340	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	340	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	340	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	340	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	340	ug/kg	1.0	-	U	Yes
Trichloroethene	340	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	340	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	340	ug/kg	1.0	-	U	Yes
Vinyl chloride	340	ug/kg	1.0	-	U	Yes
m,p-Xylene	680	ug/kg	1.0	-	U	Yes
o-Xylene	340	ug/kg	1.0	-	U	Yes

Sample ID: FA34302-7
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Soil

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	16.1	ug/kg	1.0	J	UJ	Yes
Benzene	5.8	ug/kg	1.0	-	U	Yes
Benzyl Chloride	5.8	ug/kg	1.0	-	U	Yes
Bromochloromethane	5.8	ug/kg	1.0	-	U	Yes
Bromodichloromethane	5.8	ug/kg	1.0	-	U	Yes
Bromoform	5.8	ug/kg	1.0	-	U	Yes
2-Butanone (MEK)	29	ug/kg	1.0	-	U	Yes
Carbon disulfide	5.8	ug/kg	1.0	-	U	Yes
Carbon tetrachloride	5.8	ug/kg	1.0	-	U	Yes
Chlorobenzene	5.8	ug/kg	1.0	-	U	Yes
Chloroethane	5.8	ug/kg	1.0	-	U	Yes
Chloroform	5.8	ug/kg	1.0	-	U	Yes
Cyclohexane	5.8	ug/kg	1.0	J	UJ	Yes
Dibromochloromethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dibromoethane	5.8	ug/kg	1.0	-	U	Yes
Dichlorodifluoromethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,3-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,4-Dichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,1-Dichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,2-Dichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,1-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes
cis-1,2-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes
trans-1,2-Dichloroethene	5.8	ug/kg	1.0	-	U	Yes

1,2-Dichloropropane	5.8	ug/kg	1.0	-	U	Yes
cis-1,3-Dichloropropene	5.8	ug/kg	1.0	-	U	Yes
trans-1,3-Dichloropropene	5.8	ug/kg	1.0	-	U	Yes
Ethylbenzene	5.8	ug/kg	1.0	-	U	Yes
Freon 113	5.8	ug/kg	1.0	-	U	Yes
2-Hexanone	29	ug/kg	1.0	-	U	Yes
Isopropylbenzene	5.8	ug/kg	1.0	-	U	Yes
p-Isopropyltoluene	5.8	ug/kg	1.0	-	U	Yes
Methyl Acetate	29	ug/kg	1.0	-	U	Yes
Methyl Bromide	5.8	ug/kg	1.0	-	U	Yes
Methyl Chloride	5.8	ug/kg	1.0	-	U	Yes
Methylcyclohexane	5.8	ug/kg	1.0	-	U	Yes
Methylene chloride	8.2	ug/kg	1.0	JB	UJ	Yes
4-Methyl-2-pentanone(MIBK)	29	ug/kg	1.0	-	U	Yes
Methyl Tert Butyl Ether	5.8	ug/kg	1.0	-	-	Yes
Styrene	5.8	ug/kg	1.0	-	U	Yes
Tert-Amyl Alcohol	58	ug/kg	1.0	-	U	Yes
Tert-Butyl Alcohol	58	ug/kg	2.0	-	-	Yes
1,1,2,2-Tetrachloroethane	5.8	ug/kg	1.0	-	U	Yes
Tetrachloroethene	5.8	ug/kg	1.0	-	U	Yes
Tetrahydrofuran	12	ug/kg	1.0	J	UJ	Yes
Toluene	5.8	ug/kg	1.0	-	U	Yes
1,2,3-Trichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,2,4-Trichlorobenzene	5.8	ug/kg	1.0	-	U	Yes
1,1,1-Trichloroethane	5.8	ug/kg	1.0	-	U	Yes
1,1,2-Trichloroethane	5.8	ug/kg	1.0	-	U	Yes
Trichloroethene	5.8	ug/kg	1.0	-	U	Yes
Trichlorofluoromethane	5.8	ug/kg	1.0	-	U	Yes
1,2,4-Trimethylbenzene	5.8	ug/kg	1.0	-	U	Yes
Vinyl chloride	5.8	ug/kg	1.0	-	U	Yes
m,p-Xylene	12	ug/kg	1.0	-	U	Yes
o-Xylene	5.8	ug/kg	1.0	-	U	Yes

Sample ID: FA34302-8
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: AQ - Equipment blank

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	2.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	2.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-9
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	2.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	0.79	ug/L	1.0	J	UJ	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	20.2	ug/L	1.0	-	-	Yes
1,2-Dichlorobenzene	2.4	ug/L	1.0	-	-	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	0.51	ug/L	1.0	J	UJ	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	0.65	ug/L	1.0	J	UJ	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	2.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	0.47	ug/L	1.0	J	UJ	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	0.62	ug/L	1.0	J	UJ	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-10
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: Groundwater

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	2.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	2.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

Sample ID: FA34302-11
Sample location: BMSMC Building 5 Area
Sampling date: 5/25/2016
Matrix: AQ - Trip Blank Water

METHOD: 8260C

Analyte Name	Result	Units	Dilution Factor	Lab Flag	Validation	Reportable
Acetone	25	ug/L	1.0	-	U	Yes
Benzene	1.0	ug/L	1.0	-	U	Yes
Benzyl Chloride	2.0	ug/L	1.0	-	U	Yes
Bromochloromethane	1.0	ug/L	1.0	-	U	Yes
Bromodichloromethane	1.0	ug/L	1.0	-	U	Yes
Bromoform	1.0	ug/L	1.0	-	U	Yes
2-Butanone (MEK)	5.0	ug/L	1.0	-	U	Yes
Carbon disulfide	2.0	ug/L	1.0	-	U	Yes
Carbon tetrachloride	1.0	ug/L	1.0	-	U	Yes
Chlorobenzene	1.0	ug/L	1.0	-	U	Yes
Chloroethane	2.0	ug/L	1.0	-	U	Yes
Chloroform	1.0	ug/L	1.0	-	U	Yes
Cyclohexane	1.0	ug/L	1.0	-	U	Yes
Dibromochloromethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dibromo-3-chloropropane	5.0	ug/L	1.0	-	U	Yes
1,2-Dibromoethane	2.0	ug/L	1.0	-	U	Yes
Dichlorodifluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,3-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,4-Dichlorobenzene	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,2-Dichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
cis-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes
trans-1,2-Dichloroethene	1.0	ug/L	1.0	-	U	Yes

1,2-Dichloropropane	1.0	ug/L	1.0	-	U	Yes
cis-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
trans-1,3-Dichloropropene	1.0	ug/L	1.0	-	U	Yes
Ethylbenzene	1.0	ug/L	1.0	-	U	Yes
Freon 113	1.0	ug/L	1.0	-	U	Yes
2-Hexanone	10	ug/L	1.0	-	U	Yes
Isopropylbenzene	1.0	ug/L	1.0	-	U	Yes
p-Isopropyltoluene	1.0	ug/L	1.0	-	U	Yes
Methyl Acetate	20	ug/L	1.0	-	U	Yes
Methyl Bromide	2.0	ug/L	1.0	-	U	Yes
Methyl Chloride	2.0	ug/L	1.0	-	U	Yes
Methylcyclohexane	1.0	ug/L	1.0	-	U	Yes
Methylene chloride	5.0	ug/L	1.0	-	U	Yes
4-Methyl-2-pentanone(MIBK)	5.0	ug/L	1.0	-	U	Yes
Methyl Tert Butyl Ether	1.0	ug/L	1.0	-	U	Yes
Styrene	1.0	ug/L	1.0	-	U	Yes
Tert-Amyl Alcohol	20	ug/L	1.0	-	U	Yes
Tert-Butyl Alcohol	20	ug/L	2.0	-	U	Yes
1,1,2,2-Tetrachloroethane	1.0	ug/L	1.0	-	U	Yes
Tetrachloroethene	1.0	ug/L	1.0	-	U	Yes
Tetrahydrofuran	5.0	ug/L	1.0	-	U	Yes
Toluene	1.0	ug/L	1.0	-	U	Yes
1,2,3-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trichlorobenzene	2.0	ug/L	1.0	-	U	Yes
1,1,1-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
1,1,2-Trichloroethane	1.0	ug/L	1.0	-	U	Yes
Trichloroethene	1.0	ug/L	1.0	-	U	Yes
Trichlorofluoromethane	2.0	ug/L	1.0	-	U	Yes
1,2,4-Trimethylbenzene	1.0	ug/L	1.0	-	U	Yes
Vinyl chloride	1.0	ug/L	1.0	-	U	Yes
m,p-Xylene	2.0	ug/L	1.0	-	U	Yes
o-Xylene	1.0	ug/L	1.0	-	U	Yes

DATA REVIEW WORKSHEETS

Project Number:_FA34302_____
Date:_____May_25,_2016_____
Shipping date:__May_26,_2016_____
EPA Region:_____2_____

REVIEW OF VOLATILE ORGANIC PACKAGE
Low/Medium Volatile Data Validation

The following guidelines for evaluating volatile organics were created to delineate required validation actions. This document will assist the reviewer in using professional judgment to make more informed decision and in better serving the needs of the data users. The sample results were assessed according to USEPA data validation guidance documents in the following order of precedence: USEPA **Hazardous Waste Support Section SOP No. HW-33A Revision 0 SOM02.2. Low/Medium Volatile Data Validation**. July, 2015. The QC criteria and data validation actions listed on the data review worksheets are from the primary guidance document, unless otherwise noted.

The hardcopied (laboratory name) __Accutest_____ data package received has been reviewed and the quality control and performance data summarized. The data review for VOCs included:

Lab. Project/SDG No.: ____FA34302_____ Sample matrix: __Soil/Groundwater__
No. of Samples: _____11_____
Trip blank No.: _____FA34302-11_____
Field blank No.: _____-_____
Equipment blank No.:_____FA34302-2;_FA34302-3;_FA34302-8_____
Field duplicate No.:_____FA34302-4/FA34302-5_____

___X___ Data Completeness
___X___ Holding Times
___X___ GC/MS Tuning
___X___ Internal Standard Performance
___X___ Blanks
___X___ Surrogate Recoveries
___X___ Matrix Spike/Matrix Spike Duplicate
___X___ Laboratory Control Spikes
___X___ Field Duplicates
___X___ Calibrations
___X___ Compound Identifications
___X___ Compound Quantitation
___X___ Quantitation Limits

_OverallComments:___VOA_TCL_list_(SW846_8260C)_____
_____
_____

Definition of Qualifiers:
J- Estimated results
U- Compound not detected
R- Rejected data
UJ- Estimated nondetect

Reviewer:_____
Date:___June_8,_2016_____

DATA REVIEW WORKSHEETS

DATA COMPLETENESS

MISSING INFORMATION	DATE LAB. CONTACTED	DATE RECEIVED

All criteria were met __X__
Criteria were not met
and/or see below _____

HOLDING TIMES

The objective of this parameter is to ascertain the validity of the results based on the holding time of the sample from time of collection to the time of analysis.

Complete table for all samples and note the analysis and/or preservation not within criteria

SAMPLE ID	DATE SAMPLED	DATE ANALYZED	pH	ACTION
All samples analyzed within method recommended holding time. Sample preservation within required criteria.				

Criteria

Aqueous samples – 14 days from sample collection for preserved samples (pH $\leq$ 2, 4$\pm$ 2°C), no air bubbles.
Aqueous samples – 7 days from sample collection for unpreserved samples, 4°C, no air bubbles.
Soil samples- 14 days from sample collection.
Cooler temperature (Criteria: 4 $\pm$ 2 °C): 3° C - OK

Actions

Aqueous samples

a. If there is no evidence that the samples were properly preserved (pH < 2, T = 4°C ± 2°C), but the samples were analyzed within the technical holding time [7 days from sample collection], no qualification of the data is necessary.
b. If there is no evidence that the samples were properly preserved, and the samples were analyzed outside of the technical holding time [7 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as unusable (R).
c. If the samples were properly preserved, and the samples were analyzed within the technical holding time [14 days from sample collection], no qualification of the data is necessary.
d. If the samples were properly preserved, but were analyzed outside of the technical holding time [14 days from sample collection], qualify detects as estimated (J) and non-detects as unusable (R).
e. If air bubbles were present in the sample vial used for analysis, qualify detected compounds as estimated (J-) and non-detected compounds as estimated (UJ).

Non-aqueous samples

a. If there is no evidence that the samples were properly preserved (T < -7°C or T = 4°C ± 2°C and preserved with $NaHSO_4$), but the samples were analyzed within the technical holding time [14 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as (UJ) or unusable (R) using professional judgment.

b. If the samples were properly preserved, and the samples were analyzed within the technical holding time [14 days from sample collection], no qualification of the data is necessary.

c. If there is no evidence that the samples were properly preserved, and the samples were analyzed outside of the technical holding time [14 days from sample collection], qualify detects for all volatile compounds as estimated (J) and non-detects as unusable (R).

d. If the samples were properly preserved, but were analyzed outside of the technical holding time [14 days from sample collection], qualify detects as estimated (J) and non-detects as unusable (R).

Qualify TCLP/SPLP samples

a. If the TCLP/SPLP ZHE procedure is performed within the extraction technical holding time of 14 days, detects and non-detects should not be qualified.

b. If the TCLP/SPLP ZHE procedure is performed outside the extraction technical holding time of 14 days, qualify detects as estimated (J) and non-detects as unusable (R).

c. If TCLP/SPLP aqueous samples and TCLP/SPLP leachate samples are analyzed within the technical holding time of 7 days, detects and non-detects should not be qualified.

d. If TCLP/SPLP aqueous samples and TCLP/SPLP leachate samples are analyzed outside of the technical holding time of 7 days, qualify detects as estimated (J) and non-detects as unusable (R).

Table 1. Holding Time Actions for Low/Medium Volatile Analyses - Summary

Matrix	Preserved	Criteria	Action	
			Detected Associated Compounds	Non-Detected Associated Compounds
Aqueous	No	≤ 7 days	No qualification	
	No	> 7 days	J	R
	Yes	≤ 14 days	No qualification	
	Yes	> 14 days	J	R
Non-Aqueous	No	≤ 14 days	J	Professional judgment, UJ or R
	Yes	≤ 14 days	No qualification	
	Yes/No	> 14 days	J	R
TCLP/SPLP	Yes	≤ 14 days	No qualification	
TCLP/SPLP	No	> 14 days	J	R
TCLP/SPLP	ZHE performed within the 14-day technical holding time		No qualification	
TCLP/SPLP	ZHE performed outside the 14-day technical holding time		J	R
TCLP/SPLP aqueous & TCLP/SPLP leachate	Analyzed within 7 days		No qualification	
TCLP/SPLP aqueous & TCLP/SPLP leachate	Analyzed outside 7 days		J	R
Sample temperature outside 4°C ± 2°C upon receipt at the laboratory			Use professional judgment	
Holding times grossly exceeded			J	R

All criteria were met __X__
Criteria were not met see below ____

GC/MS TUNING

The assessment of the tuning results is to determine if the sample instrumentation is within the standard tuning QC limits

__X___ The BFB performance results were reviewed and found to be within the specified criteria.

__X___ BFB tuning was performed for every 12 hours of sample analysis.

NOTES: All mass spectrometer instrument conditions must be identical to those used during the sample analysis. Background subtraction actions resulting in spectral distortions for the sole purpose of meeting the method specifications are contrary to the Quality Assurance (QA) objectives, and are therefore unacceptable.

NOTES: No data should be qualified based on BFB failure. Instances of this should be noted in the narrative.

All ion abundance ratios must be normalized to m/z 95, the nominal base peak, even though the ion abundance of m/z 174 may be up to 120% that of m/z 95.

Actions:

If samples are analyzed without a preceding valid instrument performance check, qualify all data in those samples as unusable (R).

If ion abundance criteria are not met, professional judgment may be applied to determine to what extent the data may be utilized. When applying professional judgment to this topic, the most important factors to consider are the empirical results that are relatively insensitive to location on the chromatographic profile and the type of instrumentation. Therefore, the critical ion abundance criteria for BFB are the m/z 95/96, 174/175, 174/176, and 176/177 ratios. The relative abundances of m/z 50 and 75 are of lower importance. This issue is more critical for Tentatively Identified Compounds (TICs) than for target analytes.

Note: State in the Data Review Narrative, decisions to use analytical data associated with BFB instrument performance checks not meeting contract requirements.

Note: Verify that that instrument instrument performance check criteria were achieved using techniques described in Low/Medium Volatiles Organic Analysis, Section II.D.5 of the SOM02.2 NFG, obtain additional information on the instrument performance checks. Make sure that background subtraction was performed from the BFB peak and not from background subtracting from the solvent front or from another region of the chromatogram.

Use professional judgment to determine whether associated data should be qualified based on the spectrum of the mass calibration compound.

List the samples affected:

If mass calibration is in error, all associated data are rejected.

All criteria were met _X_
Criteria were not met
and/or see below ____

CALIBRATION VERIFICATION

Compliance requirements for satisfactory instrument calibration are established to ensure that the instrument is capable of producing and maintaining acceptable quantitative data.

Date of initial calibration:_____05/27/16_____	___05/24/16_____
Dates of continuing (initial) calibration:__05/27/16__	___05/24/16_____
Dates of continuing calibration:_____-_____	___05/28/16_____
Dates of ending calibration:_____05/27/16_____	___05/28/16_____
Instrument ID numbers:_____GCMSY_____	___GCMSJ_____
Matrix/Level:_____Aqueous/low_____	___Aqueous/low_____

DATE	LAB FILE ID#	CRITERIA OUT RFs, %RSD, %D, r	COMPOUND	SAMPLES AFFECTED
GCMSY				
05/27/16	ICV1168-4	-22.4	Acetone*	None

Note: Initial calibration, initial calibration verification, and continuing calibration verification within the validation guidance document required criteria. Closing calibration check verification included in data package.

Acetone ICV was outside the method performance criteria but within guidance document validation criteria ±40 % difference. No action taken.

Criteria

The analyte calibration criteria in the following Table must be obtained. Analytes not meeting the criteria are qualified.

A separate worksheet should be filled for each initial curve

Initial Calibration - **Table 2. RRF, %RSD, and %D Acceptance Criteria for Initial Calibration and CCV for Low/Medium Volatile Analysis**

Analyte	Minimum RRF	Maximum %RSD	Opening Maximum %D[1]	Closing Maximum %D
Dichlorodifluoromethane	0.010	25.0	±40.0	±50.0
Chloromethane	0.010	20.0	±30.0	±50.0
Vinyl chloride	0.010	20.0	±25.0	±50.0
Bromomethane	0.010	40.0	±30.0	±50.0
Chloroethane	0.010	40.0	±25.0	±50.0
Trichlorofluoromethane	0.010	40.0	±30.0	±50.0
1,1-Dichloroethene	0.060	20.0	±20.0	±25.0
1,1,2-Trichloro-1,2,2-trifluoroethane	0.050	25.0	±25.0	±50.0
Acetone	0.010	40.0	±40.0	±50.0
Carbon disulfide	0.100	20.0	±25.0	±25.0
Methyl acetate	0.010	40.0	±40.0	±50.0
Methylene chloride	0.010	40.0	±30.0	±50.0
trans-1,2-Dichloroethene	0.100	20.0	±20.0	±25.0
Methyl tert-butyl ether	0.100	40.0	±25.0	±50.0
1,1-Dichloroethane	0.300	20.0	±20.0	±25.0
cis-1,2-Dichloroethene	0.200	20.0	±20.0	±25.0
2-Butanone	0.010	40.0	±40.0	±50.0
Bromochloromethane	0.100	20.0	±20.0	±25.0
Chloroform	0.300	20.0	±20.0	±25.0
1,1,1-Trichloroethane	0.050	20.0	±25.0	±25.0
Cyclohexane	0.010	40.0	±25.0	±50.0
Carbon tetrachloride	0.100	20.0	±25.0	±25.0
Benzene	0.200	20.0	±20.0	±25.0
1,2-Dichloroethane	0.070	20.0	±20.0	±25.0
Trichloroethene	0.200	20.0	±20.0	±25.0
Methylcyclohexane	0.050	40.0	±25.0	±50.0
1,2-Dichloropropane	0.200	20.0	±20.0	±25.0
Bromodichloromethane	0.300	20.0	±20.0	±25.0
cis-1,3-Dichloropropene	0.300	20.0	±20.0	±25.0
4-Methyl-2-pentanone	0.030	25.0	±30.0	±50.0
Toluene	0.300	20.0	±20.0	±25.0
trans-1,3-Dichloropropene	0.200	20.0	±20.0	±25.0
1,1,2-Trichloroethane	0.200	20.0	±20.0	±25.0
Tetrachloroethene	0.100	20.0	±20.0	±25.0
2-Hexanone	0.010	40.0	±40.0	±50.0
Dibromochloromethane	0.200	20.0	±20.0	±25.0
1,2-Dibromoethane	0.200	20.0	±20.0	±25.0
Chlorobenzene	0.400	20.0	±20.0	±25.0
Ethylbenzene	0.400	20.0	±20.0	±25.0

Analyte	Minimum RRF	Maximum %RSD	Opening Maximum %D[1]	Closing Maximum
m,p-Xylene	0.200	20.0	±20.0	±25.0
o-Xylene	0.200	20.0	±20.0	±25.0
Styrene	0.200	20.0	±20.0	±25.0
Bromoform	0.100	20.0	±25.0	±50.0
Isopropylbenzene	0.400	20.0	±25.0	±25.0
1,1,2,2-Tetrachloroethane	0.200	20.0	±25.0	±25.0
1,3-Dichlorobenzene	0.500	20.0	±20.0	±25.0
1,4-Dichlorobenzene	0.600	20.0	±20.0	±25.0
1,2-Dichlorobenzene	0.600	20.0	±20.0	±25.0
1,2-Dibromo-3-chloropropane	0.010	25.0	±30.0	±50.0
1,2,4-Trichlorobenzene	0.400	20.0	±30.0	±50.0
1,2,3-Trichlorobenzene	0.400	25.0	±30.0	±50.0
Deuterated Monitoring Compound				
Vinyl chloride-d_3	0.010	20.0	±30.0	±50.0
Chloroethane-d_5	0.010	40.0	±30.0	±50.0
1,1-Dichloroethene-d_2	0.050	20.0	±25.0	±25.0
2-Butanone-d_5	0.010	40.0	±40.0	±50.0
Chloroform-d	0.300	20.0	±20.0	±25.0
1,2-Dichloroethane-d_4	0.060	20.0	±25.0	±25.0
Benzene-d_6	0.300	20.0	±20.0	±25.0
1,2-Dichloropropane-d_6	0.200	20.0	±20.0	±25.0
Toluene-d_8	0.300	20.0	±20.0	±25.0
trans-1.3-Dichloropropene-d_4	0.200	20.0	±20.0	±25.0
2-Hexanone-d_5	0.010	40.0	±40.0	±50.0
1,1,2,2-Tetrachloroethane-d_2	0.200	20.0	±25.0	±25.0
1,2-Dichlorobenzene-d_4	0.400	20.0	±20.0	±25.0

[1] If a closing CCV is acting as an opening CCV, all target analytes and DMCs must meet the requirements for an opening CCV.

Actions:

1. If any volatile target compound has an RRF value less than the minimum in the table, use professional judgment for detects, based on mass spectral identification, to qualify the data as estimated (J+ or R).
   a. If any volatile target compound has an RRF value less than the minimum criterion, qualify non-detected compounds as unusable (R).
   b. If any of the volatile target compounds listed in the Table has %RSD greater than the criteria, qualify detects as estimated (J), and non-detected compounds using professional judgment.
   c. If the volatile target compounds meet the acceptance criteria for RRF and the %RSD, no qualification of the data is necessary.

d. No qualification of the data is necessary on the DMC RRF and %RSD data alone. Use professional judgment and follow the guidelines in Action 2 to evaluate the DMC RRF and %RSD data in conjunction with the DMC recoveries to determine the need for qualification of data.

2. At the reviewer's discretion, and based on the project-specific Data Quality Objectives (DQOs), a more in-depth review may be considered using the following guidelines:
   a. If any volatile target compound has a %RSD greater than the maximum criterion in the Table, and if eliminating either the high or the low-point of the curve does not restore the %RSD to less than or equal to the required maximum:
      i. Qualify detects for that compound(s) as estimated (J).
      ii. Qualify non-detected volatile target compounds using professional judgment.
   b. If the high-point of the curve is outside of the linearity criteria (e.g., due to saturation):
      i. Qualify detects outside of the linear portion of the curve as estimated (J).
      ii. No qualifiers are required for detects in the linear portion of the curve.
      iii. No qualifiers are required for volatile target compounds that were not detected.
   c. If the low-point of the curve is outside of the linearity criteria:
      i. Qualify low-level detects in the area of non-linearity as estimated (J).
      ii. No qualifiers are required for detects in the linear portion of the curve.
      iii. For non-detected volatile compounds, use the lowest point of the linear portion of the curve to determine the new quantitation limit.

Note: If the laboratory has failed to provide adequate calibration information, inform the Region's designated representative to contact the laboratory and request the necessary information. If the information is not available, the reviewer must use professional judgment to assess the data.

State in the Data Review Narrative, if possible, the potential effects on the data due to calibration criteria exceedance.

Note, for the Laboratory COR action, if calibration criteria are grossly exceeded.

Table. Initial Calibration Actions for Low/Medium Volatile Analysis – Summary

Criteria	Action	
	Detect	Non-detect
Initial Calibration not performed at specified frequency and sequence	Use professional judgment R	Use professional judgment R
Initial Calibration not performed at the specified concentrations	J	UJ
RRF < Minimum RRF in Table for target analyte	Use professional judgment J+ or R	R
RRF > Minimum RRF in Table for target analyte	No qualification	No qualification
%RSD > Maximum %RSD in Table for target analyte	J	Use professional judgment
%RSD ≤ Maximum %RSD in Table for target analyte	No qualification	No qualification

All criteria were met __X___
Criteria were not met
and/or see below _____

Continuing Calibration Verification (CCV)

NOTE: Verify that the CCV was run at the required frequency (an opening and closing CCV must be run within 12-hour period) and the CCV was compared to the correct initial calibration. If the mid-point standard from the initial calibration is used as an opening CCV, verify that the result (RRF) of the mid-point standard was compared to the average RRF from the correct initial calibration.

The closing CCV used to bracket the end of a 12-hour analytical sequence may be used as the opening CCV for the new 12-hour analytical sequence, provided that all the technical acceptance criteria are met for an opening CCV (see criteria show before in the Table) . If the closing CCV does not meet the technical acceptance criteria for an opening CCV, then a BFB tune followed by an opening CCV is required and the next 12-hour time period begins with the BFB tune.

All DMCs must meet RRF criteria. No qualification of the data is necessary on the DMCs RRF and %RSD/%D data alone. However, use professional judgment to evaluate the DMC and %RSD/%D data in conjunction with the DMC recoveries to determine the need of qualification the data.

Action:

1. If a CCV (opening and closing) was not run at the appropriate frequency, qualify data using professional judgment.

2. Qualify all volatile target compounds in Table shown before using the following criteria:

   a. For an opening CCV, if any volatile target compound has an RRF value less than the minimum criterion, use professional judgment for detects, based on mass spectral identification, to qualify the data as estimated (J) and qualify non-detected compounds as unusable (R).
   b. For a closing CCV, if any volatile target compound has an RRF value less than the criteria, use professional judgment for detects based on mass spectral identification to qualify the data as estimated (J), and qualify non-detected compounds as unusable (R).
   c. For an opening CCV, if the Percent Difference value for any of the volatile target compounds is outside the limits in calibration criteria Table shown before, qualify detects as estimated (J) and non-detected compounds as estimated (UJ).
   d. For a closing CCV, if the Percent Difference value for any volatile target compound is outside the limits in calibration criteria table, qualify detects as estimated (J) and non-detected compounds as estimated (UJ).
   e. If the volatile target compounds meet the acceptable criteria for RRF and the Percent Difference, no qualification of the data is necessary.
   f. No qualification of the data is necessary on the DMC RRF and the Percent Difference data alone. Use professional judgment to evaluate the DMC RRF and Percent Difference

data in conjunction with the DMC recoveries to determine the need for qualification of data.

Notes: If the laboratory has failed to provide adequate calibration information, inform the Region's designated representative to contact the laboratory and request the necessary information. If the information is not available, the reviewer must use professional judgment to assess the data.

State in the Data Review Narrative, if possible, the potential effects on the data due to calibration criteria exceedance.

Note, for Contract Laboratory COR action, if calibration criteria are grossly exceeded.

Table. Continuing Calibration Actions for Low/Medium Volatile Analysis – Summary

Criteria for Opening CCV	Criteria for Closing CCV	Action	
		Detect	Non-detect
CCV not performed at required frequency	CCV not performed at required frequency	Use professional judgment R	Use professional judgment R
CCV not performed at specified concentration	CCV not performed at specified concentration	Use professional judgment	Use professional judgment
RRF < Minimum RRF in Table 2 for target analyte	RRF < Minimum RRF in Table for target analyte	Use professional judgment J or R	R
RRF ≥ Minimum RRF in Table 2 for target analyte	RRF ≥ Minimum RRF in Table for target analyte	No qualification	No qualification
%D outside the Opening Maximum %D limits in Table 2 for target analyte	%D outside the Closing Maximum %D limits in Table for target analyte	J	UJ
%D within the inclusive Opening Maximum %D limits in Table 2 for target analyte	%D within the inclusive Closing Maximum %D limits in Table for target analyte	No qualification	No qualification

All criteria were met ___X___
Criteria were not met
and/or see below _____

BLANK ANALYSIS RESULTS (Sections 1 & 2)

The assessment of the blank analysis results is to determine the existence and magnitude of contamination problems. The criteria for evaluation of blanks apply only to blanks associated with the samples, including trip, equipment, and laboratory blanks. If problems with any blanks exist, all data associated with the case must be carefully evaluated to determine whether or not there is an inherent variability in the data for the case, or if the problem is an isolated occurrence not affecting other data.

List the contamination in the blanks below. High and low levels blanks must be treated separately.

The concentration of a target analyte in any blank must not exceed its Contract Required Quantitation Limit (CRQL) (2x CRQLs for Methylene chloride, Acetone, and 2-Butanone). TIC concentration in any blanks must be ≤ 5.0 µg/L for water (0.0050 mg/L for TCLP leachate) and ≤ 5.0 µg/kg for soil matrices.

Laboratory blanks

The method blank, like any other sample in the SDG, must meet the technical acceptance criteria for sample analysis.

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
_No_target_analyte_detected_in_method_blanks_except_in_the_cases_described_in_this_____document.____				
_05/27/16_____	_VY1168-MB___	_Soil/low____	_Methylene_chloride_____	_4.4_ug/kg_____

Note: Methylene chloride detected in sample FA34302-7 at a concentration below the reporting limit. Laboratory qualified the results as (BJ), no further qualification performed.

Field/<u>Equipment/Trip blank</u>

If field or trip blanks are present, the data reviewer should evaluate this data in a similar fashion as the method blanks.

DATE ANALYZED	LAB ID	LEVEL/ MATRIX	COMPOUND	CONCENTRATION UNITS
_No_target_analytes_detected_in_the_trip/equipment_blanks_except_in_the_cases_described_in_this_document._No_field_blanks_analyzed_with_this_data_package._____				
_05/28/16_____	FA34302-2_____	Aq./low_____	Acetone_____	16.7_ug/l_____
			tert-butyl_alcohol_____	16.5_ug/l_____

Note: No action taken, analytes found in equipment blank below the reporting limit.

All criteria were met __X___
Criteria were not met
and/or see below _____

BLANK ANALYSIS RESULTS (Section 3)

Blank Actions

Note: All fields blank results associated with a particular group of samples (may exceed one per case) must be used to qualify data. Trip blanks are used to qualify only those samples with which they were shipped. Blanks may not be qualified because of contamination in another blank. Field blanks and trip blanks must be qualified for system monitoring compounds, instrument performance criteria, and spectral or calibration QC problems.

Samples taken from a drinking water tap do not have associated field blanks.

When applied as described in the Table below, the contaminant concentration in the blank is multiplied by the sample dilution factor.

Table. Blank and TCLP/SPLP LEB Actions for Low/Medium Volatile Analysis

Blank Type	Blank Result	Sample Result	Action for Samples
Method, Storage, Field, Trip, TCLP/SPLP LEB, Instrument**	Detects	Not detected	No qualification required
	< CRQL *	< CRQL*	Report CRQL value with a U
		≥ CRQL*	No qualification required
	> CRQL *	< CRQL*	Report CRQL value with a U
		≥ CRQL* and ≤ blank concentration	Report blank value for sample concentration with a U
		≥ CRQL* and > blank concentration	No qualification required
	= CRQL*	≤ CRQL*	Report CRQL value with a U
		> CRQL*	No qualification required
	Gross contamination	Detects	Report blank value for sample concentration with a U

* 2x the CRQL for methylene chloride, 2-butanone and acetone.
** Qualifications based on instrument blank results affect only the sample analyzed immediately after the sample that has target compounds that exceed the calibration range or non-target compounds that exceed 100 µg/L.

Action Levels (ALs) should be based upon the highest concentration of contaminant determined in any blank. Do not qualify any blank with another blank. The ALs for samples which have been diluted should be corrected for the sample dilution factor and/or % moisture, where applicable. No positive sample results should be reported unless the concentration of the compound in the samples exceeds the ALs:

DATA REVIEW WORKSHEETS

Notes:

High and low level blanks must be treated separately
Compounds qualified "U" for blank contamination are still considered "hits" when qualifying for calibration criteria.

CONTAMINATION SOURCE/LEVEL	COMPOUND	CONC/UNITS	AL/UNITS	SQL	AFFECTED SAMPLES

All criteria were met __X__
Criteria were not met
and/or see below _____

DEUTERATED MONITORING COMPOUNDS (DMCs)

Laboratory performance of individual samples is established by evaluation of surrogate spike (DMCs) recoveries. All samples are spiked with surrogate compounds prior to sample analysis. The accuracy of the analysis is measured by the surrogate percent recovery. Since the effects of the sample matrix are frequently outside the control of the laboratory and may present relatively unique problems, the validation of data is frequently subjective and demands analytical experience and professional judgment.

Table. Volatile Deuterated Monitoring Compounds (DMCs) and Recovery Limits

DMC	%R for Water Sample	%R for Soil Sample
Vinyl chloride-d3	60-135	30-150
Chloroethane-d5	70-130	30-150
1,1-Dichloroethene-d2	60-125	45-110
2-Butanone-d5	40-130	20-135
Chloroform-d	70-125	40-150
1,2-Dichloroethane-d4	70-125	70-130
Benzene-d6	70-125	20-135
1,2-Dichloropropane-d6	70-120	70-120
Toluene-d8	80-120	30-130
trans-1,3-Dichloropropene-d4	60-125	30-135
2-Hexanone-d5	45-130	20-135
1,1,2,2-Tetrachloroethane-d2	65-120	45-120
1,2-Dichlorobenzene-d4	80-120	75-120

NOTE: The recovery limits for any of the compounds listed in the above Table may be expanded at any time during the period of performance if the United States Environmental Protection Agency (EPA) determines that the limits are too restrictive.

Action:

Are recoveries for DMCs in volatile samples and blanks must be within the limits specified in the Table above. **Yes**? or No?

NOTE: The recovery limits for any of the compounds listed in the Table above may be expanded at any time during the period of performance if USEPA determines that the limits are too restrictive.

List the DMCs that may fail to meet the recovery limits

Sample ID	Date	DMCs	% Recovery	Action

DMCs recoveries within the required limits except in the cases described in this document. 4-bromofluorobenzene 29 % recovery in sample FA34302-6 due to matrix interference; control limit: 71 – 133 %. Re-run of sample FA34302-6, recoveries of surrogates standards within laboratory control limits. No action taken. Other non-deuterated surrogates added to the samples within laboratory control limits.

Note: Any sample which has more than 3 DMCs outside the limits must be reanalyzed.

Action:

1. For any recovery greater than the upper acceptance limit:
   a. Qualify detected associated volatile target compounds as estimated high (J+).
   b. Do not qualify non-detected associated volatile target compounds.
2. For any recovery greater than or equal to 10%, and less than the lower acceptance limit:
   a. Qualify detected associated volatile target compounds as estimated low (J-).
   b. Qualify non-detected associated volatile target compounds as estimated (UJ).
3. For any recovery less than 10%:
   a. Qualify detected associated volatile target compounds as estimated low (J-).
   b. Qualify non-detected associated volatile target compounds as unusable (R).
4. For any recovery within acceptance limits, no qualification of the data is necessary.
5. In the special case of a blank analysis having DMCs out of specification, the reviewer must give special consideration to the validity of associated sample data. The basic concern is whether the blank problems represent an isolated problem with the blank alone, or whether there is a fundamental problem with the analytical process. For example, if one or more samples in the batch show acceptable DMC recoveries, the reviewer may choose to consider the blank problem to be an isolated occurrence. However, even if this judgment allows some use of the affected data, note analytical problems for Contract Laboratory COR action.
6. If more than three DMCs are outside of the recovery limits for Low/Medium volatiles analysis and the sample was not reanalyzed, note under Contract Problems/Non-Compliance.

Table. Deuterated Monitoring Compound (DMC) Recovery Actions for Low/Medium Volatiles Analyses – Summary

Criteria	Action	
	Detect Associated Compounds	Non-detected Associated Compounds
%R < 10%	J-	R
10% ≤ %R < Lower Acceptance Limit	J-	UJ
Lower Acceptance Limit ≤ %R ≤ Upper Acceptance Limit	No qualification	No qualification
%R > Upper Acceptance Limit	J+	No qualification

MATRIX SPIKE/MATRIX SPIKE DUPLICATE

The QC reported here applies to the following samples: Method: SW846 8260C
FA34302-4, FA34302-5, FA34302-6, FA34302-7

Compound	FA34301-1 ug/kg	Q	Spike ug/kg	MS ug/kg	MS %	Spike ug/kg	MSD ug/kg	MSD %	RPD	Limits Rec/RPD
Acetone	15.0	J	288	151	47*	291	170	53*	12	61-152/27
2-Butanone (MEK)	ND		288	200	69*	291	208	71*	4	75-137/25
Carbon Disulfide	ND		57.6	43.5	75	58.3	41.6	71*	4	72-122/29
Carbon Tetrachloride	ND		57.6	45.3	79	58.3	41.7	72*	8	78-133/29
Chloroform	ND		57.6	45.5	79	58.3	40.8	70*	11	72-123/26
Cyclohexane	ND		57.6	48.1	83	58.3	42.2	72*	13	73-126/32
1,3-Dichlorobenzene	ND		57.6	53.9	94	58.3	46.7	80*	14	81-129/33
1,1-Dichloroethylene	ND		57.6	44.8	78*	58.3	41.9	72*	7	81-136/28
Freon 113	ND		57.6	40.9	71	58.3	38.2	66*	7	71-129/30
Methylcyclohexane	ND		57.6	47.2	82	58.3	43.4	74*	8	75-128/31
Methylene Chloride	16.4	B	57.6	56.0	69*	58.3	50.6	59*	10	74-137/28

Note: No action taken, professional judgment. MS/MSD criteria apply to the unspiked sample. Unspiked sample belongs to another data package.

* QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
* If QC limits are not available, use limits of 70 – 130 %.

Actions:

1. No qualification of the data is necessary on MS and MSD data alone. However, using professional judgment, the validator may use the MS and MSD results in conjunction with other QC criteria and determine the need for some qualification of the data.

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

MS/MSD criteria apply only to the unspiked sample, its dilutions, and the associated MS/MSD samples:

If the % R for the affected compounds were < LL (or 70 %), qualify positive results (J) and nondetects (UJ).
If the % R for the affected compounds were > UL (or 130 %), only qualify positive results (J).
If 25 % or more of all MS/MSD %R were < LL (or 70 %) or if two or more MS/MSD %Rs were < 10%, qualify all positive results (J) and reject nondetects (R).

A separate worksheet should be used for each MS/MSD pair.

All criteria were met __X__
Criteria were not met
and/or see below _____

LABORATORY CONTROL SAMPLE (LCS) ANALYSIS

This data is generated to determine accuracy of the analytical method for various matrices.

1. LCS Recoveries Criteria

Where LCS spiked with the same analyte at the same concentrations as the MS/MSD? Yes or No. If no make note in data review memo.

List the %R of compounds which do not meet the criteria

LCS ID COMPOUND % R QC LIMIT

___Recoveries_(blank_spike)_within_laboratory_control_limits._____
_____
_____
_____
_____
_____
_____
_____

* QC limits are laboratory in-house performance criteria, LL = lower limit, UL = upper limit.
* If QC limits are not available, use limits of 70 – 130 %.

Actions:

QUALITY	%R < LL	%R > UL
Positive results	J	J
Nondetects results	R	Accept

All analytes in the associated sample results are qualified for the following criteria.

If 25 % of the LCS recoveries were < LL (or 70 %), qualify all positive results (j) and reject nondetects (R).

If two or more LCS were below 10 %, qualify all positive results as (J) and reject nondetects (R).

2. Frequency Criteria:

Where LCS analyzed at the required frequency and for each matrix? Yes or No.
If no, the data may be affected. Use professional judgment to determine the severity of the effect and qualify data accordingly. Discuss any actions below and list the samples affected.

All criteria were met __X__
Criteria were not met
and/or see below _____

IX. FIELD/LABORATORY DUPLICATE PRECISION

Sample IDs: __FA34302-4/-5_____ Matrix:____Soil_____

Field/laboratory duplicates samples may be taken and analyzed as an indication of overall precision. These analyses measure both field and lab precision; therefore, the results may have more variability than laboratory duplicates which only laboratory performance. It is also expected that soil duplicate results will have a greater variance than water matrices due to difficulties associated with collecting identical field duplicate samples.

The project QAPP should be reviewed for project-specific information.

> **NOTE:** In the absence of QAPP guidance for validating data from field duplicates, the following action will be taken.

Identify which samples within the data package are field duplicates. Estimate the relative percent difference (RPD) between the values for each compound. Use professional judgment to note large RPDs (> 50%) in the narrative.

COMPOUND	SQL	SAMPLE CONC.	DUPLICATE CONC.	RPD	ACTION
Field duplicate analyzed with this data package. RPD within required criteria, < 50 % for target analytes detected in sample and duplicate.					

Actions:

Qualify as estimated positive results (J) and nondetects (UJ) for the compound that exceeded the above criteria. For organics, only the sample and duplicate will be qualified.

If an RPD cannot be calculated because one or both of the sample results is not detected, the following actions are suggested based on professional judgment:

If one sample result is not detected and the other is greater than 5x the SQL qualify (J/UJ).

If one sample value is not detected and the other is greater than 5x the SQL and the SQLs for the sample and duplicate are significantly different, use professional judgment to determine if qualification is appropriate.

If one sample value is not detected and the other is less than 5x, use professional judgment to determine if qualification is appropriate.

If both sample and duplicate results are not detected, no action is needed.

All criteria were met ____
Criteria were not met
and/or see below __X__

X. INTERNAL STANDARD PERFORMANCE

The assessment of the internal standard (IS) parameter is used to assist the data reviewer in determining the condition of the analytical instrumentation.

DATE	SAMPLE ID	IS OUT	IS AREA	ACCEPTABLE RANGE	ACTION
05/27/16	FA34302(a)	1,4-dichlorobenzene-d4	869798	169399-677594	No action

Internal standard area counts within the required criteria except the cases described in this document.

(a) Confirmation run for surrogate recoveries.

Action:

1. If an internal standard area count for a sample or blank is greater than 200.0% of the area for the associated standard (opening CCV or mid-point standard from initial calibration) (see Table below):
   a. Qualify detects for compounds quantitated using that internal standard as estimated low (J-).
   b. Do not qualify non-detected associated compounds.
2. If an internal standard area count for a sample or blank is less than 20.0% of the area for the associated standard (opening CCV or mid-point standard from initial calibration):
   a. Qualify detects for compounds quantitated using that internal standard as estimated high (J+).
   b. Qualify non-detected associated compounds as unusable (R).
3. If an internal standard area count for a sample or blank is greater than or equal to 20.0%, and less than or equal to 200% of the area for the associated standard opening CCV or mid-point standard from initial calibration, no qualification of the data is necessary.
4. If an internal standard RT varies by more than 30.0 seconds: Examine the chromatographic profile for that sample to determine if any false positives or negatives exist. For shifts of a large magnitude, the reviewer may consider partial or total rejection of the data for that sample fraction. Detects should not need to be qualified as unusable (R) if the mass spectral criteria are met.
5. If an internal standard RT varies by less than or equal to 30.0 seconds, no qualification of the data is necessary.

Note: Inform the Contract Laboratory Program Project Officer (CLP PO) if the internal standard performance criteria are grossly exceeded. Note in the Data Review Narrative potential effects on the data resulting from unacceptable internal standard performance.

6. If required internal standard compounds are not added to a sample or blank, qualify detects and non-detects as unusable (R).
7. If the required internal standard compound is not analyzed at the specified concentration in a sample or blank, use professional judgment to qualify detects and non-detects.

Table. Internal Standard Actions for Low/Medium Volatiles Analyses - Summary

Criteria	Action	
	Detected Associated Compounds*	Non-detected Associated Compounds*
Area counts > 200% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	J-	No qualification
Area counts < 20% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	J+	R
Area counts ≥ 50% but ≤ 200% of 12-hour standard (opening CCV or mid-point standard from initial calibration)	No qualification	
RT difference > 30.0 seconds between samples and 12-hour standard (opening CCV or mid-point standard from initial calibration)	R **	R
RT difference ≤ 30.0 seconds between samples and 12-hour standard (opening CCV or mid-point standard from initial calibration)	No qualification	

* For volatile compounds associated to each internal standard, see TABLE - VOLATILE TARGET ANALYTES, DEUTERATED MONITORING COMPOUNDS WITH ASSOCIATED INTERNAL STANDARDS FOR QUANTITATION in SOM02.2, Exhibit D, available at: http://www.epa.gov/superfund/programs/clp/download/som/som22d.pdf
** Detects should not need to be qualified as unusable (R) if the mass spectral criteria are met.

All criteria were met __X__
Criteria were not met
and/or see below _____

TARGET COMPOUND IDENTIFICATION

Criteria:

Is the Relative Retention Times (RRTs) of reported compounds within ±0.06 RRT units of the standard RRT [opening Continuing Calibration Verification (CCV) or mid-point standard from the initial calibration]. **Yes**? or No?

List compounds not meeting the criteria described above:

Sample ID	Compounds	Actions

Mass spectra of the sample compound and a current laboratory-generated standard [i.e., the mass spectrum from the associated calibration standard (opening CCV or mid-point standard from initial calibration)] must match according to the following criteria:

a. All ions present in the standard mass spectrum at a relative intensity greater than 10% must be present in the sample spectrum.
b. The relative intensities of these ions must agree within ±20% between the standard and sample spectra (e.g., for an ion with an abundance of 50% in the standard spectrum, the corresponding sample ion abundance must be between 30-70%).
c. Ions present at greater than 10% in the sample mass spectrum, but not present in the standard spectrum, must be evaluated by a reviewer experienced in mass spectral interpretation.

List compounds not meeting the criteria described above:

Sample ID	Compounds	Actions

Action:

1. The application of qualitative criteria for GC/MS analysis of target compounds requires professional judgment. It is up to the reviewer's discretion to obtain additional information from the laboratory. If it is determined that incorrect identifications were made, qualify all such data as unusable (R).

2. Use professional judgment to qualify the data if it is determined that cross-contamination has occurred.

3. Note in the Data Review Narrative any changes made to the reported compounds or concerns regarding target compound identifications. Note, for Contract Laboratory COR action, the necessity for numerous or significant changes.

TENTATIVELY IDENTIFIED COMPOUNDS (TICS)

NOTE: Tentatively identified compounds should only be evaluated when requested by a party from outside of the Hazardous Waste Support Section (HWSS).

List TICs

Sample ID	Compound	Sample ID	Compound

Action:

1. Qualify all TIC results for which there is presumptive evidence of a match (e.g. greater than or equal to 85% match) as tentatively identified (NJ), with approximated concentrations. TICs labeled "unknown" are qualified as estimated (J).
2. General actions related to the review of TIC results are as follows:
   a. If it is determined that a tentative identification of a non-target compound is unacceptable, change the tentative identification to "unknown" or another appropriate identification, and qualify the result as estimated (J).
   b. If all contractually-required peaks were not library searched and quantitated, the Region's designated representative may request these data from the laboratory.
3. In deciding whether a library search result for a TIC represents a reasonable identification, use professional judgment. If there is more than one possible match, report the result as "either compound X or compound Y". If there is a lack of isomer specificity, change the TIC result to a nonspecific isomer result (e.g., 1,3,5-trimethyl benzene to trimethyl benzene isomer) or to a compound class (e.g., 2-methyl, 3-ethyl benzene to a substituted aromatic compound).

4. The reviewer may elect to report all similar compounds as a total (e.g., all alkanes may be summarized and reported as total hydrocarbons).
5. Target compounds from other fractions and suspected laboratory contaminants should be marked as "non-reportable".
6. Other Case factors may influence TIC judgments. If a sample TIC match is poor, but other samples have a TIC with a valid library match, similar RRT, and the same ions, infer identification information from the other sample TIC results.
7. Note in the Data Review Narrative any changes made to the reported data or any concerns regarding TIC identifications.
8. Note, for Contract Laboratory COR action, failure to properly evaluate and report TICs

All criteria were met __X__
Criteria were not met
and/or see below ____

SAMPLE QUANTITATION AND REPORTED CONTRACT REQUIRED QUANTITATION LIMITS (CRQLS)

Action:

1. If any discrepancies are found, the Region's designated representative may contact the laboratory to obtain additional information that could resolve any differences. If a discrepancy remains unresolved, the reviewer must use professional judgment to decide which value is the most accurate. Under these circumstances, the reviewer may determine that qualification of data is warranted. Note in the Data Review Narrative a description of the reasons for data qualification and the qualification that is applied to the data.
2. For non-aqueous samples, in the percent moisture is less than 70.0%, no qualification of the data is necessary. If the percent moisture is greater than or equal to 70.0% and less than 90.0%, qualify detects as estimated (J) and non-detects as approximated (UJ). If the percent moisture is greater than or equal to 90.0%, qualify detects as estimated (J) and non-detects as unusable (R) (see Table below).
3. Note, for Contract Laboratory COR action, numerous or significant failures to accurately quantify the target compounds or to properly evaluate and adjust CRQLs.
4. Results between MDL and CRQL should be qualified as estimated "J".
5. Results < MDL should be reported at the CRQL and qualified "U". MDLs themselves are not reported.

Table. Percent Moisture Actions for Low/Medium Volatiles Analysis for Non-Aqueous Samples

Criteria	Action	
	Detected Associated Compounds	**Non-detected Associated Compounds**
% Moisture < 70.0	No qualification	
70.0 < % Moisture < 90.0	J	UJ
% Moisture > 90.0	J	R

The sample quantitation evaluation is to verify laboratory quantitation results. In the space below, please show a minimum of one sample calculation:

Sample ID

FA34302-1 Cyclohexane RF = 0.475

[ ] = (45621)(50)/(0.475)(1067726) = 4.5 ppb Ok

B. Percent Solids

List samples which have $\geq$ 70 % solids

All criteria were met __X__
Criteria were not met
and/or see below _____

QUANTITATION LIMITS

A. Dilution performed

SAMPLE ID	DILUTION FACTOR	REASON FOR DILUTION

All criteria were met __X__
Criteria were not met
and/or see below _____

OTHER ISSUES

A. System Performance

List samples qualified based on the degradation of system performance during simple analysis:

Sample ID	Comments	Actions
_____	_____	_____
_No_degradation_of_system_performance_observed.		_____
_____	_____	_____
_____	_____	_____

Action:

Use professional judgment to qualify the data if it is determined that system performance has degraded during sample analyses. Inform the Contract Laboratory Program COR any action as a result of degradation of system performance which significantly affected the data.

B. Overall Assessment of Data

List samples qualified based on other issues:

Sample ID	Comments	Actions
_____	_____	_____
_No_additional_issues_observed_that_require_qualification_of_the_data._Results_are_valid_and__can_ _be_used_for_decission_purposes._____		_____
_____	_____	_____
_____	_____	_____

Action:

1. Use professional judgment to determine if there is any need to qualify data which were not qualified based on the Quality Control (QC) criteria previously discussed.
2. Write a brief narrative to give the user an indication of the analytical limitations of the data. Inform the Contract Laboratory COR the action, any inconsistency of the data with the Sample Delivery Group (SDG) Narrative. If sufficient information on the intended use and required quality of the data is available, the reviewer should include their assessment of the usability of the data within the given context. This may be used as part of a formal Data Quality Assessment (DQA).